

*Permit No. 6996

APPLICATION FOR A PERMIT

CERTIFICATE NO. 6134

To Appropriate the Public Waters of the State of Oregon

I, A. E. Schmidt
 of Laurel, R.F.D. #1, County of Washington,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Unnamed Spring
 (Name of stream)
 _____, tributary of Tualatin Watershed

2. The amount of water which the applicant intends to apply to beneficial use is _____
0.02 cubic feet per second.

3. The use to which the water is to be applied is _____
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Domestic supplies

4. The point of diversion is located 250 ft. west and 184 ft. south of the
 (Give distance and bearing to section corner)
NE corner of Sec. 11 T. 2 S. R. 3 W. Will. Mer.

being within the NE¹ of the NE¹ of Sec. 11, Tp. 2 S,
 (Give smallest legal subdivision) (No. N. or S.)
 R. 3 W, W. M., in the county of Washington
 (No. E. or W.)

5. The pipe line to be Approx. 0.25
 (Main ditch, canal or pipe line)
 miles in length, terminating in the SW¹ of the SW¹ of Sec. 1, Tp. 2 S,
 (Smallest legal subdivision) (No. N. or S.)
 R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
 (No. E. or W.)

6. The name of the ditch, canal or other works is _____

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 5 $\frac{1}{2}$ feet, length at bottom
5 $\frac{1}{2}$ feet; material to be used and character of construction Concrete
 (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
 (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 250.00
- 13. Construction work will begin on or before _____ March 1, 1925
- 14. Construction work will be completed on or before _____ April 1, 1925.
- 15. The water will be completely applied to the proposed use on or before _____
After April 1, 1925

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

A. E. Schmidt.
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) F. L. Brown, Laurel #1, Oregon.
(Name) (Address of witness)
- (2) R. H. Rowden Laurel 1, Oregon.
(Name) (Address of witness)

Remarks: I have a concrete reservoir 3 ft. high, and 5 1/2 ft.
square and the pipe is galvanized 3/4 in. I have a
deed to this spring from G. Klier.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 10448

Permit No. 6996

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 31 day of October,

1925, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

November 10, 1925

Recorded in Book No. 24 of

Permits, on page 6996

Rhea Luper

STATE ENGINEER.

1 map ER

\$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an unnamed spring in NE 1/4 NE 1/4 Section 11, Township 2 South, Range 3 West W.M.

for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.02 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is October 31, 1925

Actual construction work shall begin on or before November 10, 1926 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1927

Complete application of the water to the proposed use shall be made on or before October 1, 1928

WITNESS my hand this 10 day of November, 1925.

Rhea Luper,

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.