

*Permit No. 7 0 8 8

APPLICATION FOR A PERMIT

CERTIFICATE NO. 8977

To Appropriate the Public Waters of the State of Oregon

I, Harold W. Strong and Ethel Strong, his wife, of Gresham, Oregon, County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring and small creek (Name of stream)

, tributary of Sandy River (See Remarks)

2. The amount of water which the applicant intends to apply to beneficial use is One-twentieth (1/20) cubic feet per second.

3. The use to which the water is to be applied is Domestic use, Irrigation and power for our domestic use. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Approximately 2025 feet north, and 50 feet west of the quarter section corner in the south line of Section 24 T. 2 S. R. 6 E. of W.M. (Give distance and bearing to section corner)

being within the E 1/2 of NE 1/4 of SW 1/4 of Sec. 24, Tp. 2 S, R. 6 E, W. M., in the county of Clackamas, Oregon, (Give smallest legal subdivision) (No. N. or S.)

5. The pipe line to be about 500 feet (Main ditch, canal or pipe line) miles in length, terminating in the E 1/2 of NE 1/4 of SW 1/4 of Sec. 24, Tp. 2 S, R. 6 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is Strong's Hydro Works at Brightwood, Oregon.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam about 3 feet, length on top about 30 feet, length at bottom about 20 feet; material to be used and character of construction Log, brush, some plank and loose rock, dirt and clay. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate A pipe about 1" in diameter or less. (Timber, concrete, etc., number and size of openings) Also 3/4 inch pipe.

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 3.67 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate) Water is needed in creek to keep alders and brush and shrubbery growing and I will irrigate crops and trees and shrubbery planted on balance.

3 acres in NE 1/4 SW 1/4 &

0.67 acre in NW 1/4 SE 1/4,

Sec. 24, T. 2 S. R. 6 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed 1 theoretical horsepower.

(b) Total fall to be utilized 175 feet. (Head)

(c) The nature of the works by means of which the power is to be developed small diversion dam, pipe line and water wheel and electric generator.

(d) Such works to be located in E 1/2 of NE 1/4 of SW 1/4 of Sec. 24, (Legal subdivision)

Tp. 2 S, R. 6 E, W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? Yes. (Yes or No)

(f) If so, name stream and locate point of return Sandy River

E 1/2 of NE 1/4 of SW 1/4, Sec. 24, Tp. 2 S, R. 6 E, W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is For our own domestic use.

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ _____ 200.⁰⁰_____
- 13. Construction work will begin on or before _____ April 1st, 1925.
- 14. Construction work will be completed on or before _____ July 1st, 1925.
- 15. The water will be completely applied to the proposed use on or before _____ July 1st, 1925

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Harold W. Strong and

(Name of applicant)
Ethel Strong, his wife.

Signed in the presence of us as witnesses:

- (1) Gustaf Blich, _____ Gresham, Oregon.
(Name) _____ (Address of witness)
- (2) Ralph Garfield, _____ Gresham, Oregon.
(Name) _____ (Address of witness)

Remarks: We own at Brightwood, Oregon, a tract of land containing 3.67 acres more or less on north bank of Sandy River in E $\frac{1}{2}$ of E $\frac{1}{2}$ of SW $\frac{1}{4}$ and in SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 24, T. 2 S. R. 6 E of Will, Mer., that has two or three small springs in northern portion of tract that form a small creek flowing south about 590 feet to Sandy River, all on said tract owned by me. We want to use the water for our own use in connection with this tract of land. Last summer the flow of springs & creek dropped to about 3 gallons per minute. We will use all the water.

Harold W. Strong & wife.

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 10016

Permit No. 7088

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 4 day of March

1925, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

January 2, 1926

Recorded in Book No. 24 of Permits, on page 7088

RHEA LUPER

STATE ENGINEER

\$8.85

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited

to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from unnamed springs and creek for domestic use, irrigation purposes, and development of one theoretical horsepower.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.05 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is March 4, 1925.

Actual construction work shall begin on or before January 2, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929 Extended to Oct. 1, 1930

WITNESS my hand this 2 day of January, 1926.

Rhea Luper, STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.