

*Permit No. 7.1.1.9

APPLICATION FOR A PERMIT

CERTIFICATE NO. 6339

To Appropriate the Public Waters of the State of Oregon

I, The Cherry Grove Land Co. (Name of applicant) of Cherry Grove (Postoffice), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation August 14, 1914, at Hillsboro, County Seat of Washington County.

1. The source of the proposed appropriation is Four Springs (Name of stream) Tualatin Watershed, tributary of

2. The amount of water which the applicant intends to apply to beneficial use is All that the springs give 0.2 cubic feet per second.

3. The use to which the water is to be applied is General family need - Domestic. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 4 springs, first Spring 1090 feet bearing S.S.W. from North East corner of Section 26, being in the NE 1/4 of NE 1/4 of Section 26, Township 1 S. Range 5 W. Second Spring- 1300 feet bearing S.S.W. from North East corner of Section 26, being in the NE 1/4 of NE 1/4 of Section 26 Township 1 S. Range 5 W. Third Spring 1723 feet due south on section line, 30 feet due West into Section 26, being in SE 1/4 of NE 1/4 of Sec. 26 Town. 1 S. Range 5 W. Fourth Spring 2680 feet bearing southeast from northwest corner of Section 1, Township 2 South Range 5 West, being near the southeast corner of north- (Give distance and bearing to section corner)

R. 5 W, W. M., in the county of Washington (No. E. or W.) (No. N. or S.) (Con. under Remarks)

5. The Creek is 5100 feet (Main ditch, canal or pipe line)

miles in length, terminating in the NW 1/4 of NW 1/4 of Sec. 36, Tp. 1 S, (Smallest legal subdivision) (No. N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is Name, if any, is not known.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of CHERRY GROVE
Washington County, having a present population of 165
(Name of)
and an estimated population of in 192

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$
13. Construction work will begin on or before
14. Construction work will be completed on or before
15. The water will be completely applied to the proposed use on or before

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

(CORPORATE SEAL)

CHERRY GROVE LAND CO.
(Name of applicant)
by Mrs. Hilma Lonegren, Mgr.
by Mrs. John A. Pearson, V. P.

Signed in the presence of us as witnesses:

(1) Dorothy F. Seymour Forest Grove, Oregon
(Name) (Address of witness)
(2) J. R. Giltner " " "
(Name) (Address of witness)

Remarks: east quarter of Northwest quarter of Sec. 1, Township 2 S. Range 5
W. Yamhill County, Ore. The Creek flows from source 30 feet N.W. thence 175
ft. W. thence 290 ft. W.N.W., thence 100 ft. N. thence 100 ft. N. thence 100
ft. N.N.W., thence 200 ft. N.W., thence 100 ft. N. thence 300 ft. N.N.E., thence 100
ft. N. W., thence 50 ft. W., thence 80 ft. N. to county line, thence 400 ft. N.N.E.,
thence 100 ft. N., thence 100 ft. N.N.W., thence 200 ft. N.N.E., thence 200 ft. N.,
thence 50 ft. E., thence 260 ft. N., thence 55 ft. N.N.E., thence 70 ft. N., thence
300 ft. N.N.E., thence 200 ft. N. thence 100 ft. N. N.W., thence 100 ft. N.W.,
thence 200 ft. W., thence 400 ft. N.W., thence 170 N.N.W., to intake, thence 120
N.W., from intake to tank, being near the southeast corner of NW 1/4 of NW 1/4 Section
36, Township 1 S. Range 5 W., Washington County, Oregon.

(Insert) thence 80 ft. N.E.

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before , 192

WITNESS my hand this day of , 192

STATE ENGINEER.

Application No. 10285

Permit No. 7119

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 15 day of July, 1925, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

January 14th, 1926.

Recorded in Book No. 24 of Permits, on page 7119

RHEA LUPER

1 map ER STATE ENGINEER.

\$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Four Springs for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.2 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is July 15, 1925.

Actual construction work shall begin on or before January 14, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 14th day of January, 1926 Rhea Luper. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.