

*Permit No. 7.1.3.8

APPLICATION FOR A PERMIT

CERTIFICATE NO. 8081

To Appropriate the Public Waters of the State of Oregon

I, P. A. Farnam
 (Name of applicant)
 of Glendale,
 (Postoffice), County of Douglas,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring Creek, wastes away in
 (Name of stream)
NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of S. 12 T. 32 S. 5 W.
Willamette Meridian, tributary of Cow Creek Watershed

2. The amount of water which the applicant intends to apply to beneficial use is Enough to fill a
1 in. pipe (0.1) cubic feet per second.

3. The use to which the water is to be applied is
Domestic. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located About 2600 ft. SouthWest from Sec. corner of Sec.
 (Give distance and bearing to section corner)
1, and 12 on the east side of T. 32 S. R. 5 W.

being within the SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 12, Tp. 32 S.,
 (Give smallest legal subdivision) (No. N. or S.)
R. 5 W., W. M., in the county of Douglas
 (No. E. or W.)

5. The pipeline to be 1500 ft.
 (Main ditch, canal or pipe line)
miles in length, terminating in the NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 12, Tp. 32 S.,
 (Smallest legal subdivision) (No. N. or S.)
R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.
 (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam about 3 feet, length on top about 7 feet, length at bottom
about 9 feet; material to be used and character of construction Concrete,
 (Loose rock, concrete, masonry,
Size of pipe to be installed, one inch
 rock and brush, timber crib, etc., wasteway over or around dam)
Fall, between 25 and 30 feet.

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

F. A. Farnam,

(Name of applicant)

Signed in the presence of us as witnesses:

- (1) _____, _____
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 10557

Permit No. 7138

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13 day of January, 1926, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

January 23rd, 1926.

Recorded in Book No. 24 of Permits, on page 7138

RHEA LUPER.

STATE ENGINEER.

1 map ER

STATE OF OREGON, } ss. County of Marion, }

\$8.00

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an unnamed spring creek for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.1 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is January 13, 1926.

Actual construction work shall begin on or before January 23, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 23rd day of January, 1926

Rhea Luper,

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.