

*Permit No. 7197

CERTIFICATE NO. 8015

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, R. E. Twining, (Name of applicant) of Clackamas, R.F.D. (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream), tributary of Clackamas River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second.

3. The use to which the water is to be applied is Auto Park (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Lot #2 or NE NW of Section 21 (Give distance and bearing to section corner)

being within the NE NW of Sec. 21, Tp. 2 S (Give smallest legal subdivision) (No. N. or S.)

R. 3 E, W. M., in the county of Clackamas (No. E. or W.)

5. The pipeline to be 900 ft. (Main ditch, canal or pipe line)

1/4 mile in length, terminating in the SE NW of Sec. 21, Tp. 2 S (Smallest legal subdivision) (No. N. or S.)

R. 3 E, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.⁰⁰
- 13. Construction work will begin on or before _____ 1 yr. from date of approval.
- 14. Construction work will be completed on or before _____ 2 yr.
- 15. The water will be completely applied to the proposed use on or before _____ 3 yr.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

R. E. Twining

(Name of applicant)

Signed in the presence of us as witnesses:

(1)	Hilma L. Carlson	1647 East 7th St. Portland, Ore.
	(Name)	(Address of witness)
(2)	Gustave Julius Carlson	" " "
	(Name)	(Address of witness)

Remarks: _____

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 10603

Permit No. 7197

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 23 day of February, 1926, at 11:50 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

March 10th, 1926

Recorded in Book No. 24 of Permits, on page 7197

RHEA LUPER STATE ENGINEER.

1 msp ACFP \$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eighth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an unnamed spring for supply for an auto park.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.1 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is February 23, 1926

Actual construction work shall begin on or before March 10, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 10th day of March, 1926.

Rhea Luper STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.