

*Permit No. 7 2 3 9

CERTIFICATE NO. 7278

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mildred F. Hudson, (Name of applicant) of Troutdale, Rt. #2- Box 211 A, County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Orsburne Spring Creek (Name of stream), tributary of Fairview Lake

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second.

3. The use to which the water is to be applied is Fish Pond (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located about 1000 ft. south of the Sandy Highway or Columbia River Highway. (Give distance and bearing to section corner)

being within the SE NW of Sec. 28, Tp. 1 N, R. 3 E, W. M., in the county of Multnomah (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The ditch to be 50 ft. (Main ditch, canal or pipe line) in length, terminating in the SE NW of Sec. 28, Tp. 1 N, R. 3 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of) _____
and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Mildred F. Hudson,

(Name of applicant)
Route 2, Box 211-A, Troutdale, Ore.

Signed in the presence of us as witnesses:

- (1) Gladys Bliss Turner, _____, Troutdale, Oregon, R. # 2
(Name) _____ (Address of witness)
- (2) _____, _____
(Name) _____ (Address of witness)

Remarks: _____

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 10648

Permit No. 7239

3

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 15 day of March 1926, at 2:30 o'clock P.M.

Returned to applicant for correction:

Corrected application received:

Approved: March 29th, 1926.

Recorded in Book No. 24 of Permits, on page 7239

RHEA LUPER

STATE ENGINEER.

1 map ACFP

\$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Osburn Spring Creek for fish propagation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.1 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is March 15, 1926

Actual construction work shall begin on or before March 29, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 29th day of March, 1926 Rhea Luper,

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.