

*Permit No. 7.5.6.5.....

CERTIFICATE NO. 8090

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Oregon State Highway Commission (Name of applicant) of 333 Capitol Building, Salem (Postoffice), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 Springs (Name of stream), tributary of Powder River.

2. The amount of water which the applicant intends to apply to beneficial use is 1/8 cu. ft. per second from each cubic feet per second.

3. The use to which the water is to be applied is Domestic supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1st spring - 1450 ft. east and 645 ft. north of section corner common to sections 19, 20, 29 & 30; 2nd spring, 885 ft. east & 697 ft. north of section corner common to sections 19, 20, 29 & 30 - all

being within the 1/4 of the SW 1/4 of Sec. 20, Tp. 11 South, R. 40 East, W. M., in the county of Baker

5. The Pipe line to be 300 feet miles in length, terminating in the NE 1/4 SW 1/4 of Sec. 20, Tp. 11 South, R. 40 East, W. M.; the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

Concrete box at each spring (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply ~~the city of~~ drinking water for Tourists on Baker-Unity Highway.....
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$400.00.....
- 13. Construction work will begin on or before September 1st, 1926.....
- 14. Construction work will be completed on or before October 1st, 1926.....
- 15. The water will be completely applied to the proposed use on or before October 1st, 1926.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Oregon State Highway Commission.....
(Name of applicant)
By H. B. Glaisyer, Chief Clerk.....

Signed in the presence of us as witnesses:

- (1)
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: The fall from the "1st" spring to the point of use on the highway
is 184 feet. Water is to be piped from the spring $1\frac{1}{2}$ inch diameter pipe to
be used.
The "2nd" spring is below the highway grade and will in all proba-
bility not be piped. The improvement consisting of boxing up the spring.

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER.

Application No. 1.1.0.6.4

Permit No. 7.5.6.5

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 31 day of August,

1926, at 3:30 o'clock P.M.

Returned to applicant for correction:

Corrected application received:

Approved:

October 15th, 1926

Recorded in Book No. 25 of Permits, on page 7.5.6.5

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

1 map ACFP

\$8.00

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eighth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Two Springs for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.25 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is August 31, 1926

Actual construction work shall begin on or before October 15, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 15th day of October, 1926

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.