

*Permit No. 7 5 7 0

APPLICATION FOR A PERMIT

CERTIFICATE NO. 11060

To Appropriate the Public Waters of the State of Oregon

I, B. M. Porden
(Name of applicant)
of Portland, County of Multnomah
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Poison Slough
(Name of stream)
tributary of Silvies River

2. The amount of water which the applicant intends to apply to beneficial use is
Two cubic feet per second.

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 79° 27' E., a distance of 518 feet from 1/4
(Give distance and bearing to section corner)
corner common to Sections 27 and 28, T. 23 S., R. 32 E.W.M.

being within the NW 1/4 of SW 1/4 of Sec. 27, Tp. 23 S.
(Give smallest legal subdivision) (No. N. or S.)
R. 32 E., W. M., in the county of Harney
(No. E. or W.)

5. The Ditch to be 115 Feet
(Main ditch, canal or pipe line)
miles in length, terminating in the NW 1/4 SW 1/4 of Sec. 27, Tp. 23 S.
(Smallest legal subdivision) (No. N. or S.)
R. 32 E., W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Unnamed

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet;
material to be used and character of construction
No dam to be constructed.
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber, One opening - 3 ft. in the clear.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 7 feet; width on bottom 3 feet; depth of water 1 feet; grade0006 feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

Ditch same size full length. The banks of Poison Slough are built up above the surrounding land by the deposit of silt so that no dam is necessary to turn the water out the ditch onto adjacent land.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR
IRRIGATION—

9. The land to be irrigated has a total area of 160 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

40 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 23 S., R. 32 E.

40 " " SE $\frac{1}{4}$ SW $\frac{1}{4}$ " " " "

40 " " SW $\frac{1}{4}$ SW $\frac{1}{4}$ " " " "

40 " " NW $\frac{1}{4}$ SW $\frac{1}{4}$ " " " "

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet.

(Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream?

(Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
 _____ County, having a present population of _____,
 (Name of)
 and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

12. Estimated cost of proposed works, \$.....

18. Construction work will begin on or before

14. Construction work will be completed on or before

15. The water will be completely applied to the proposed use on or before

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

B. M. Porden

(Name of applicant)

1604 Chautauqua Boul.

Portland, Oregon

Signed in the presence of us as witnesses:

(1) John H. Gibson, 269 Oak St., Portland, Ore.
(Name) (Address of witness)

(2) Ethel Price, 122 E. 29th St.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

12 Application No. 11093

Permit No. 7570

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 15 day of September
1926, at 8:30 o'clock A. M.

Returned to applicant for correction:

Corrected application received:

Approved:

October 15th, 1926.

Recorded in Book No. 25 of
Permits, on page 7570

R H E A L U P E R
STATE ENGINEER.

1 map ACFP \$21.00

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited
to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject
to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Poison
Slough for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to bene-
ficial use and not to exceed 2.0 cubic feet per second, or its equivalent in case of
rotation. The priority date of this permit is September 15, 1926.

Actual construction work shall begin on or before October 15, 1927, and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
June 1, 1928

Complete application of the water to the proposed use shall be made on or before
October 1, 1929. Extended to Oct. 1, 1931
Extended to Oct. 1, 1932

WITNESS my hand this 15th day of October, 1926.

R H E A L U P E R
STATE ENGINEER.