

\*Permit No. 7-5-7-6

APPLICATION FOR A PERMIT

CERTIFICATE NO. 9123

To appropriate the Public Waters of the State of Oregon

I, J. H. Donaldson (Name of applicant) of 5917 92nd St., Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rock Creek (Name of stream), tributary of Clackamas River

2. The amount of water which the applicant intends to apply to beneficial use is 175 cu. feet per minute cubic feet per second.

3. The use to which the water is to be applied is Irrigation; power & fish propagation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located (Give distance and bearing to section corner)

being within the SW SE of Sec. 12, Tp. 2 S, R. 2 E, W. M., in the county of Clackamas (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The flume to be 700 feet (Main ditch, canal or pipe line) miles in length, terminating in the NW SE of Sec. 12, Tp. 2 S, R. 2 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 7 feet, length on top 30 feet, length at bottom 30 feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... 8 ..... acres, located in each smallest legal subdivision, as follows:

Table with 2 columns: (Give area of land in each smallest legal subdivision which you intend to irrigate) and details of subdivisions. Includes entries like '8 acres in the Section 12 T. 2 S. R. 2 E. W. M.', '3.1 acres in SW 1/4 NE 1/4', '2.0 " " SE 1/4 NW 1/4', '1.3 " " NE 1/4 SW 1/4', '1.5 " " NW 1/4 SE 1/4', and 'Section 12-2 S-2 E'.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... 5 ..... theoretical horsepower.

(b) Total fall to be utilized ..... 18 ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed turbine

(d) Such works to be located in NW 1/4 SE 1/4 of Sec. 12, (Legal subdivision)

Tp. 2 S. (No. N. or S.), R. 2 E. (No. E. or W.), W. M.

(e) Is water to be returned to any stream? Yes (Yes or No)

(f) If so, name stream and locate point of return Same Stream

....., Sec. 12, Tp. 2 S. (No. N. or S.), R. 2 E. (No. E. or W.), W. M.

(g) The use to which power is to be applied is electric generation for the lighting of the farm and home.

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_,  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$2,000.00\_\_\_\_\_
- 13. Construction work will begin on or before 1 year from date of approval\_\_\_\_\_
- 14. Construction work will be completed on or before 2 years\_\_\_\_\_
- 15. The water will be completely applied to the proposed use on or before 3 years\_\_\_\_\_

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

J.H. Donaldson \_\_\_\_\_  
(Name of applicant)

5917 92nd St. \_\_\_\_\_

Portland, Oregon \_\_\_\_\_

Signed in the presence of us as witnesses:

(1) Harold Hall \_\_\_\_\_, Salem, Oregon \_\_\_\_\_  
(Name) (Address of witness)

(2) Lela G. Donaldson \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: \_\_\_\_\_

Completion, maps \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before October 3, \_\_\_\_\_, 1926.

WITNESS my hand this 5 day of September, 1926.

R. H. E. A. L. U. P. E. R. \_\_\_\_\_  
STATE ENGINEER.  
L A

Application No. 1 1 0 6 6

Permit No. 7 5 7 6

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2 day of September, 1926, at 11:15 o'clock AM.

Returned to applicant for correction:

September 3, 1926

Corrected application received:

September 16, 1926

Approved:

October 25th, 1926

Recorded in Book No. 25 of Permits, on page 7 5 7 6

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

1 map ACFP \$10.45

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Rock Creek for development of 5 theoretical horsepower, irrigation and fish propagation.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2.9 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 2, 1926

Actual construction work shall begin on or before October 25, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

June 1, 1928 EXTENDED TO 10/1/29 Extended to Oct. 1, 1930

Complete application of the water to the proposed use shall be made on or before

October 1, 1929 EXTENDED TO 10/1/29 Extended to Oct. 1, 1930

WITNESS my hand this 25th day of October, 1926

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.