

\*Permit No. 7-5-8-8

APPLICATION FOR A PERMIT

CERTIFICATE NO. 7594

To appropriate the Public Waters of the State of Oregon

I, Carl Hoffman (Name of applicant) of Aurora Rt. #3 (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second.

3. The use to which the water is to be applied is Domestic including domestic animals & power for running hydraulic ram.

4. The point of diversion is located about 850 feet east & 350 feet south of the center of section 26.

being within the NE 1/4 of NW SE of Sec. 26, Tp. 3 S, R. 1 W, W. M., in the county of Clackamas

5. The pipe line to be about 1200 feet miles in length, terminating in the NW SE of Sec. 26, Tp. 3 S, R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 1/2 feet, length on top 20 feet, length at bottom 12 feet; material to be used and character of construction concrete

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_,  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$500.00.....
- 13. Construction work will begin on or before ..... Complete.....
- 14. Construction work will be completed on or before ..... ".....  
".....
- 15. The water will be completely applied to the proposed use on or before .....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

\_\_\_\_\_ Carl Hoffman \_\_\_\_\_  
(Name of applicant)  
\_\_\_\_\_ Aurora, Oregon R. 3 \_\_\_\_\_

Signed in the presence of us as witnesses:

- (1) Harold F. Hall \_\_\_\_\_, \_\_\_\_\_ Salem, Oregon \_\_\_\_\_  
(Name) (Address of witness)
- (2) Louis Van De Moorstele \_\_\_\_\_, \_\_\_\_\_ \_\_\_\_\_  
(Name) (Address of witness)

Remarks: ..... A hydraulic ram is used to raise one gallon of water per minute  
the lift is about 90 feet.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_

STATE ENGINEER.

Application No. 11085

Permit No. 7588

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13th day of September, 1926, at 8:00 o'clock AM.

Returned to applicant for correction:

Corrected application received:

Approved:

October 25th, 1926

Recorded in Book No. 25 of Permits, on page 7588

STATE ENGINEER.

1 map ACFP

\$8.50

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an Unnamed Stream for development of 2 theoretical horsepower, and for domestic purposes including stock water.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.2 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 13, 1926

Actual construction work shall begin on or before October 25, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 25th day of October, 1926

R H E A L U P E R
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5303, Oregon Laws.