

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 3.28 acres, located in each smallest legal subdivision, as follows: Lot 27 Abernethy Addition, being situated partly in SE 1/4 of NE 1/4 of Sec. 34 and partly in SW 1/4 of NW 1/4 of Sec. 35 both of T. 15, S. R. 1 E. The plat of Abernethy's Addition is filed with the county clerk of Multnomah County. The entire size of the tract is given above. The water from the springs is to be used in my garden and probably will not irrigate more than one-half acre, although I put the whole amount down. (1.64 acres acres in each forty.)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$50.00.....
- 13. Construction work will begin on or before Jan. 1, 1927.....
- 14. Construction work will be completed on or before Jan. 1, 1928.....
- 15. The water will be completely applied to the proposed use on or before Jan. 1, 1928.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

_____ J. Earl Else _____
(Name of applicant)

Signed in the presence of us as witnesses:

(1) Irene Konopski _____, 712 Washington St. _____
(Name) (Address of witness)

(2) Lutten F. Nelson _____, 1405 Alameda Drive _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____

WITNESS my hand this _____ day of _____, 192_____

STATE ENGINEER.

Application No. 11114

Permit No. 7591

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of September,

1926, at 8:00 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

October 25th, 1926

Recorded in Book No. 25 of Permits, on page 7591.

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

1 map ACFP \$3.60

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Unnamed Springs for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.05 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 25, 1926.

Actual construction work shall begin on or before October 25, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928.

Complete application of the water to the proposed use shall be made on or before October 1, 1929.

WITNESS my hand this 25th day of October, 1926.

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.