

\*Permit No. 7.6.7.5

CERTIFICATE NO. 7809

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, FOREST SERVICE U.S. DEPARTMENT OF AGRICULTURE, BY T. H. Sherrard, Forest Supervisor (Name of applicant) of 503 Post Office Building, Portland (Postoffice), County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring which has no flow to any stream, and Tilly Jane Creek, tributary of East Fork of Hood River

2. The amount of water which the applicant intends to apply to beneficial use is 3/8 cubic feet per second. (1/8 sec. foot from the spring, balance from Tilly Jane Creek.)

3. The use to which the water is to be applied is for domestic supplies. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located at the spring is located approximately in NE 1/4 NW 1/4 Sec. 15, unsurveyed T. 2 S. R. 9 E. W. M. and on Tilly Jane Creek approximately in NW 1/4 NE 1/4 Section 15, same township and range

being within the of Sec. of Tp. R. W. M., in the county of Hood River

5. The pipe line from Tilly Jane Cr. to Cloud Cap Inn 1/2 miles in length, terminating in the of Sec. 10 (unsur.) Tp. 2 S. from Tilly Jane to public camp 1/8 mile from Spring to Cloud Cap Inn. 1/2 mile R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Tilly Jane water development.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam at Tilly Jane intake 10 (approx.) feet, length on top not determined feet, length at bottom not determined feet; material to be used and character of construction probably timber crib. Height of dam at spring approx. 5 ft., length at top 8 ft., at bottom 5 ft. of timber crib.

(b) Description of headgate probably of concrete.

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

..... Pipe from Tilly Jane creek to Cloud Cap Inn approx. 2 inches diameter, other pipe 2 inches, approx. ....

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: ..... (Give area of land in each smallest legal subdivision which you intend to irrigate)

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. ...., Tp. ...., R. ...., W. M. (Legal subdivision)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return ..... Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_,  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$..not.determined (Pipe to public camp and from spring to Cloud Cap
- 13. Construction work will begin on or before Dec. 31, '26. ~~Inn already in.~~
- 14. Construction work will be completed on or before Dec. 31, 1930
- 15. The water will be completely applied to the proposed use on or before \_\_\_\_\_

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

FOREST SERVICE, U.S. DEPARTMENT OF AGRICULTURE  
(Name of applicant)

By T. H. Sherrard, Forest Supervisor

Signed in the presence of us as witnesses:

- (1) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)
- (2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_

STATE ENGINEER.

Application No. 11072

Permit No. 7675

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 7th day of September, 1926, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

December 20th, 1926

Recorded in Book No. 26 of Permits, on page 7675

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

1 map ACFP \$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an Unnamed Spring and Tilly Jane Creek for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.38 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 7, 1926

Actual construction work shall begin on or before December 20, 1927 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1928

Complete application of the water to the proposed use shall be made on or before October 1, 1929

WITNESS my hand this 20th day of December, 1926

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.