To Appropriate the Public Waters of the State of Oregon

State ofOregon	<i>I</i> ,	Harry V. Worthylake
State of	of	(Name of applicant) Ada County of Douglas
following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is No. name, just small creek (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is whatever will through a 5/4 in cubic feet per second. (0.1 sec. ft.) 3. The use to which the water is to be applied is Dougst is sumplies for one family. 4. The point of diversion is located About 200 ft. SE of the NW governor of the Lot 4 (Give distance and bearing to section corner) 5. Seq. 1 T. 20 S.R. 12 W. being within the Lot 4 (Give analiest legal subdivision) R. 12 W W. M., in the county of Dauglas to be 900 fact (No. N. or S.) 5. The pipe line to be 900 fact The 20 S (No. N. or S.) R. 12 W W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Harrys water pipe Geet, length at bottom 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, massen; over or around dam) 1. The source of the proposed appropriation is	State of	Oregon do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation isNo_name_, just_small_crock	following	described public waters of the State of Oregon, subject to existing rights:
1. The source of the proposed appropriation is	If a	
2. The amount of water which the applicant intends to apply to beneficial use is whatever will on through a 3/4 in cibic feet per second. (0.1 sec. ft.) 3. The use to which the water is to be applied is	1.	
the through a 5/4 in Public feet per second. (0.1 sec. ft.) 3. The use to which the water is to be applied is		, tributary of Tsiltcoos Lake
3. The use to which the water is to be applied is	2.	The amount of water which the applicant intends to apply to beneficial use is whatever wil
3. The use to which the water is to be applied is	un throu	ugh a 3/4 in pipe
4. The point of diversion is located About 30. ft SE of the NW. corner of the Lot 4. (Give distance and bearing to section corner) of Sec 1 T. 20. S.R. 12. W. being within the Lot 4. (Give smallest legal subdivision) of Sec 1 Tp 20. S. (No. N. or S.) R 12 W , W. M., in the county of Roughas to be 900 feet (No. N. or S.) 5. The pipe line (Main ditch, canal or pipe line) to be 900 feet (No. N. or S.) R 12 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) (No. N. or S.) R 12 W , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Heary's water pipe feet, length at bottom feet, length at bottom		
being within the Lot 4 of Sec. 1 , Tp. 20.5 (Give smallest legal subdivision) (No. N. or S.) R. 12 W , W. M., in the county of Dauglas (No. E. or W.) 5. The Pipe line (Main ditch, canal or pipe line) to be 900 feet (No. N. or S.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Harrys water pipe DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 22 feet, length on top 2 feet, length at bottom feet; material to be used and character of construction Oak (Loose rock, concrete, masonry) One 50 gal* barrel		(Irrigation, power, mining, manufacturing, domestic supplies, etc.
being within the Lot 4 of Sec. 1 , Tp. 20.S (No. N. or S.) R. 12 W , W. M., in the county of Dauglas (No. E. or W.) 5. The pipe line to be 900 feet (Main ditch, canal or pipe line) mites in length, terminating in the Lot 5 of Sec. 1 , Tp. 20.S (No. N. or S.) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E or W.) 6. The name of the ditch, canal or other works is Herrys water pipe DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 21 feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry) One 50 Eal. barrel	4.	The point of diversion is located About 300 ft. SE of the NW corner of the Lot-4.
being within the Lot 4 of Sec. 1 , Tp. 20 S (No. N. or S.) R. 12 W , W. M., in the county of Dauglas		
(No. E. or W.) 5. The pipe line to be 900 feet (Main ditch, canal or pipe line) miles in length, terminating in the lot 5 (Smallest legal subdivision) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Harrys water pipe DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2 feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry) One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)		thin the Lot 4 of Sec. 1 , Tp. 20 S
5. The	R. 12	W, W. M., in the county of Douglas
miles in length, terminating in the	5.	The pipe line to be 900 feet
(Smallest legal subdivision) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Harrys water pipe DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2½ feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)	miles in L	
One 50 gal. barrel Conserved. Conserved.		(Smallest legal subdivision) (No. N. or S.)
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2½ feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry) One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)	(No. E	E. or W.)
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 2½ feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry) One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)		
7. (a) Height of dam 2 feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam)		
7. (a) Height of dam 2 feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction Oak (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam)	Diversion	N WORKS
One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)		
One 50 gal. barrel rock and brush, timber crib, etc., wasteway over or around dam)	2	feet; material to be used and character of constructionQak
rock and brush, timber crib, etc., wasteway over or around dam)		
	rock and br	
(b) Description of headgate	(b	,

CANAL SYSTEM-

8. (a) Give dimensions at each point of canal where materially changed from headgate. At headgate: Width on top (at water line)	,
feet; depth of water feet; grade	
thousand feet.	' ' . .
(b) At miles from headgate: Width on top (at water line)
feet; width on bottom feet; depth of water	
grade feet fall per one thousand feet.	
	· ·

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER	IS USED FOR
IRRIGATION—	
9. The land to be irrigated has a total area of	acres, located in each
smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision)	
(Give area of land in each smallest legal subdivision v	which you intend to irrigate)
	·
	•
	*
·	
/74	
(If more space required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10. (a) Total amount of power to be developed	theoretical horsenower
	mooresteat norsepower.
(b) Total fall to be utilized	leveloned
(c) The hadden of the works of which the power is to be t	icvetopea
(d) Such works to be located in	of Sec
(d) Such works to be located in	,
(No. N. or S.) (No. E. or W.) (e) Is water to be returned to any stream?	
(Yes or No) (f) If so, name stream and locate point of return	
·	
(g) The use to which power is to be applied is	
(b) The material of the miner to be seen ?	
(h) The nature of the mines to be served	<u>-</u>

MUNICIPAL SUPPLY—							
11. To supply the city of							
	esent population of,						
and an estimated population of	in 192						
(Anaman question	nr 10 12 14 and 15 in all cases)						
	es 12, 13, 14, and 15 in all cases)						
12. Estimated cost of proposed works, \$.75.00							
13. Construction work will begin on or before application for appropriation is accepted. 14. Construction work will be completed on or before Two days later							
15. The water will be completely applied	ed to the proposed use on or beforethe sameday						
Duplicate maps of the proposed ditch or	r other works, prepared in accordance with the rules of the						
State Engineer, accompany this application.							
, and the second	Harry V. Worthylake (Name of applicant)						
"	Ada, Oregon						
Signed in the presence of us as witnesses:							
	, Ada, Oregon						
(Name)	(Address of witness)						
, ,	, Ada Oregon (Address of witness)						
Remarks:	<u></u>						
	<u></u>						
STATE OF OREGON,							
County of Marion,							
This is to certify that I have examined	the foregoing application, together with the accompanying						
maps and data, and return the same for corr	rection or completion, as follows:						
In order to retain its priority, this a	application must be returned to the State Engineer, with						
corrections, on or before							
WITNESS my hand this	day of, 192,						

STATE ENGINEER.

Application	No	7	1	2 1	5
21 ppulououo	A T U		ا مله -		

Permit No.....7.7.0.6.....

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	District No.		
		vas first received in the gineer at Salem, Oregon,	
	on the3rd day	ofDecember	
	o'clock A.M.		
	Returned to applican	•	<u>.</u>
	Corrected application	received:	
	Approved:		
	January	6th, 1927	
	Recorded in Book	No. 26 of	•
	Permits, on page7	7.06	
	RHEA	LUPER	•
	1 map ACFP	STATE ENGINEER.)
STATE OF OREGON,			a.
County of Marion,	.		
This is to certify the	rat I have examined the	foregoing application a	and do hereby grant the same,
			appropriation shall be limited
to such reasonable rotation			irrigated, and shall be subject officer.
The right herei	n granted is limited	to the appropriati	on of water from An Un-
named Creek for domes			
		***************************************	which can be applied to bene-
ficial use and not to excee	dO.1	cubic feet per secon	id, or its equivalent in case of
rotation. The priority dat	e of this permit is	December 3, 1926	<u> </u>
$Actual\ construction$	work shall begin on or b	eforeIsnuary_6,	1928 and shall
-	·	and be completed on or	before June 1, 1929
	n of the water to the pro	 posed use shall be made	on or before
		october 1,	1930
WITNESS my hand	d this 6th day	of January	, 1927
		R H E	
Permits for power develor	oment are subject to the limita	tion of franchise as provided i	STATE ENGINEER. in Section 5728, Oregon Laws, and the

payment of annual fees as provided in Section 5803, Oregon Laws.