

\*Permit No. 7743

CERTIFICATE NO. 9128

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. J. SMITH, President of Ambleside, Inc. (Name of applicant) of 413 Medical Arts Bldg., Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation October 29th, 1919, at Portland, Oregon

1. The source of the proposed appropriation is Johnson Creek (Name of stream), tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is one-fourth cubic feet per second.

3. The use to which the water is to be applied is irrigation and domestic supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located beginning at SW corner of Sec. 14, Twp. 1 S. R. 3 E. and running to the East and parallel with the south line of said section a distance of 56 rods, thence due north 28 rods to a point on the edge of the channel of Johnson Creek, being within the SE 1/4 of the SW 1/4 of the SW 1/4 of the SW 1/4 of Sec. 14, Tp. 1 S., R. 3 E., W. M., in the county of Multnomah (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The pipeline (Not over 2") (Main ditch, canal or pipe line) to be not to exceed 500 feet miles in length, terminating in the SW 1/4 of SW 1/4 of Sec. 14, Tp. 1 S., R. 3 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is Not named

DESCRIPTION OF WORKS

DIVERSION WORKS— See Remarks

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM— See Remarks

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of not to exceed 10 acres, located in each smallest legal subdivision, as follows: .....

(Give area of land in each smallest legal subdivision which you intend to irrigate)

9 acres in SW 1/4 of the SW 1/4 and

1 acre in the SE 1/4 of the SW 1/4, Sec. 14, Twp. 1 S., R. 3 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet.

(Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. ...., (Legal subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return ..... Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_,  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 400.00
- 13. Construction work will begin on or before March 1st, 1927.
- 14. Construction work will be completed on or before April 1st, 1927.
- 15. The water will be completely applied to the proposed use on or before May 1st, 1927.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

AMBLESIDE, Inc.  
(Name of applicant)  
By C. J. Smith, President.

Signed in the presence of us as witnesses:

- (1) Lillian G. Smith, 415 E. 24 St., Portland, Oreg.  
(Name) (Address of witness)
- (2) Helen W. Brown, R. #2, Milwaukie, Ore.  
(Name) (Address of witness)

Remarks: To the State Engineer: This is an application for a small amount of water to be pumped on a little tract of land I am using for a country home near Gresham, Oregon. This water is for irrigation almost exclusively, an electric pump with a small pipeline is all that we require. The pump is already installed but the pipeline must be put in and a small reservoir.

STATE OF OREGON, }  
                          } ss.  
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_

STATE ENGINEER.

2 Application No. 1 1 2 4 9

Permit No. 7 7 4 3

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 3rd day of January, 1927, at 8:00 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

January 27th, 1927.

Recorded in Book No. 26 of Permits, on page 7 7 4 3

R H E A L U P E R

STATE ENGINEER.

1 map ACFP

\$9.50

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Johnson Creek for irrigation and domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.23 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is January 3rd, 1927.

Actual construction work shall begin on or before January 27, 1928, and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1929.

Complete application of the water to the proposed use shall be made on or before October 1, 1930.

WITNESS my hand this 27th day of January, 1927.

RHEA LUPER, STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.