

\*Permit No. 7788

APPLICATION FOR A PERMIT

CERTIFICATE NO. 7604

To Appropriate the Public Waters of the State of Oregon

I, Arthur F. Danielson (Name of applicant) of Astoria (Postoffice), County of Clatsop, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation None

1. The source of the proposed appropriation is Craig's Creek (Name of stream), tributary of Young's River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second.

3. The use to which the water is to be applied is Domestic Supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 752' North of and 790' East of SW Cor. of Sec. 16, T. 8 N., R. 9 W.M. (Give distance and bearing to section corner)

being within the SW 1/4 SW 1/4 of Sec. 16, Tp. 8 N., R. 9 W., W. M., in the county of Clatsop (Give smallest legal subdivision) (No. N. or S.)

5. The 3/4" Pipe Line (Main ditch, canal or pipe line) to be 450 ft. miles in length, terminating in the SW 1/4 SW 1/4 of Sec. 16, Tp. 8 N., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is None

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3' feet, length on top 6' feet, length at bottom 6' feet; material to be used and character of construction Earth & brush (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_,  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before .....
- 14. Construction work will be completed on or before .....
- 15. The water will be completely applied to the proposed use on or before .....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Arthur Danielson  
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Geo. B. Saloon, 709-3rd St., Astoria, Ore.  
(Name) (Address of witness)
- (2) John Frye, 338 Franklin Ave. " "  
(Name) (Address of witness)

Remarks: .....

Water to be lifted up 40' in elev. from creek to house for domestic  
purposes. 3/4" pipe line 450' ft. long over applicant's property.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_.

STATE ENGINEER.

1

Application No. 1 1 3 3 9

Permit No. 7 7 8 8

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19 day of Feb.

1927, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

February 28th, 1927.

Recorded in Book No. 26 of Permits, on page 7 7 8 8

R H E A L U P E R

STATE ENGINEER.

1 map ACFP

\$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Craig's Creek for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.1 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is February 19, 1927.

Actual construction work shall begin on or before February 28, 1928 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1929

Complete application of the water to the proposed use shall be made on or before October 1, 1930

WITNESS my hand this 28th day of February, 1927.

R. H. E. A. L. U. P. E. R. STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.