

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fish Commission, State of Oregon (Name of applicant) of Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation Not incorporated

1. The source of the proposed appropriation is Furrricane Creek (Name of stream), tributary of Wallowa River

2. The amount of water which the applicant intends to apply to beneficial use is 5.0 cubic feet per second.

3. The use to which the water is to be applied is to supply fish hatchery ponds and Fish hatchery (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of division is located N. 22° 04' E. 3101 feet from the South quarter corner of Section Three, Township 2 South, Range 44 East, W.M. (Give distance and bearing to section corner)

being within the SW 1/4 of Sec. 3, Tp. 2 South, R. 44 East, W. M., in the county of Wallowa (Give smallest legal subdivision) (No. N. or S.)

5. The Pipe line flume and ponds to be 780 feet (Main ditch, canal or pipe line) 1050 feet

miles in length, terminating in the SW 1/4 of Sec. 3, Tp. 2 South, R. 44 East, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is Fish hatchery pipe line and ponds.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 50 feet, length at bottom 40 feet; material to be used and character of construction Timber. (Loose rock, concrete, masonry, etc.)

Old dam in place as used by D. W. Otto for number of years. No dam (rock and brush, timber crib, etc., wasteway over or around dam) construction necessary.

(b) Description of headgate Concrete. (Timber, concrete, etc., number and size of openings) One 5-foot opening.

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of <sup>flume</sup> ~~canal~~ where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... 6 ..... feet; width on bottom ..... 6 ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

Ponds at lower end of flume are 10 feet wide.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: ..... (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.) (Legal subdivision)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return ..... Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 3,000.00
- 13. Construction work will begin on or before \_\_\_\_\_ has been begun
- 14. Construction work will be completed on or before two years from date of approval.
- 15. The water will be completely applied to the proposed use on or before three years  
\_\_\_\_\_ from date of approval.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Fish Commission, State of Oregon  
(Name of applicant)  
by Carl D. Shoemaker, Supt.

Signed in the presence of us as witnesses:

- (1) D. M. Karl, Portland, Oregon  
(Name) (Address of witness)
- (2) M. B. Wilson, " "  
(Name) (Address of witness)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
                          } ss.  
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_.

STATE ENGINEER.

Application No. 9 5 3 5

Permit No. 7 8 1 9

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 23 day of May

1924, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

March 15th, 1927.

Recorded in Book No. 26 of Permits, on page 7 8 1 9

R H E A L U P E R

STATE ENGINEER.

1 map ACFP

\$8.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Hurricane Creek for supply for fish hatchery ponds and fish hatchery, and to the appropriation for propagation of fish of the water stored in such ponds under Reservoir Permits Nos. R591 and R592.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 5.0 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is May 23, 1924.

Actual construction work shall begin on or before March 15, 1928. and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1929

Complete application of the water to the proposed use shall be made on or before October 1, 1930

WITNESS my hand this 15th day of March, 1927.

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.