## To Appropriate the Public Waters of the State of Oregon

287 S. Church Street, Salem (County of Marion (County of Oregon (County of Oregon))  State of Oregon (County of Oregon) (County		I,
State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Willamette River (Name of stream)  Tributary of Olumbia River  2. The amount of water which the applicant intends to apply to beneficial use is	of	287 S. Church Street, Salem (Name of applicant)  County of Marion
following described public waters of the State of Oregon, subject to existing rights:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Willamette River (Namo of stream)  tributary of Columbia River  2. The amount of water which the applicant intends to apply to beneficial use is	State o	of
1. The source of the proposed appropriation is Willamette River  (Name of stream)  , tributary of Columbia River  2. The amount of water which the applicant intends to apply to beneficial use is 15/80 cubic feet per second.  3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  Irrigation  4. The point of division is located (Give distance and bearing to section corner)  being within the NV No. 10 (The smallest legal subdivision)  R. 3. W. M., in the country of Marion (No. 8. or W.)  5. The 4r galvanized pipe (Main dich, canal or pipe line)  miles in length, terminating in the NV No. 10 (Smallest legal subdivision)  Give distance and bearing to section corner)  where the point of division is located (Give distance and bearing to section corner)  (No. 8. or W.)  6. The 4r galvanized pipe (Main dich, canal or pipe line)  (No. 8. or W.)  (No. 8. or W.)  (No. 8. or W.)  (No. 8. or W.)  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rook, concrete, massoury, rook and brush, timber citb, etc., wasteway over or around dam)		
tributary of Columbia River  2. The amount of water which the applicant intends to apply to beneficial use is		If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is  15/80		(Name of stream)
15/80		, tributary of Columbia River
3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  Irrigation  4. The point of division is located (Give distance and bearing to section corner)  being within the NV4 N94 of Sec. 10 , Tp. 7 S (No. N. or S.)  (Give smallest legal subdivision)  7. The county of Marion (Marion)  5. The 4" galvanized pipe to be 2500'  (Main ditch, canal or pipe line)  miles in length, terminating in the NV4 NV4 (Smallest legal subdivision) of Sec. 11 , Tp. 7 S (No. N. or S.),  R. 3 T (No. E. or W.)  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS  DIVERSION WORKS  DIVERSION WORKS  DIVERSION WORKS  OR Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	2015	2. The amount of water which the applicant intends to apply to beneficial use is
### The point of division is located		15/80 cubic feet per second.
being within the NW4 NB4 of Sec. 10 , Tp. 7 S (Give smallest legal subdivision) (No. E. or W.) , W. M., in the county of Marton  5. The 4 galvanized pipe to be 2500' (Main ditch, canal or pipe line) of Sec. 11 , Tp. 7 S (No. N. or S.),  miles in length, terminating in the NW4 NW4 (Smallest legal subdivision) of Sec. 11 , Tp. 7 S (No. N. or S.),  R. 3 7 (No. E. or W.)  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		Trrication
R. 3 W , W. M., in the county of Marion  5. The 4" galvanized pipe to be 2500'  (Main ditch, canal or pipe line)  miles in length, terminating in the NW NW 1 WW 2 (Smallest legal subdivision)  R. 3 V , W. M., the proposed location being shown throughout on the accompanying map.  (No. E. or W.)  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		4. The point of division is located
(No. E. or W.)  5. The 4" galvanized pips to be 2500'  (Main ditch, canal or pipe line)  miles in length, terminating in the NW2 NW2 (Smallest legal subdivision) of Sec. 11 , Tp. 7 S (No. N. or S.)  R. 3 V (No. E. or W.)  (No. E. or W.)  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		
(Main ditch, canal or pipe line)  miles in length, terminating in the NW2 NW2 NW2 Of Sec. 11 , Tp. 7 S (Smallest legal subdivision) of Sec. 11 , Tp. 7 S (No. N. or S.)  R. 3 17	(1	No. E. or W.)
R. 3 W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	miles	(Main ditch, canal or pipe line) in length terminating in the NW NW NW of Sec. 11 To 7 S
DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	R.	W. M., the proposed location being shown throughout on the accompanying map.
DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		DESCRIPTION OF WORKS
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	DIVER	SION WORKS—
feet; material to be used and character of construction  (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	الاکتفار کا دیا	
rock and brush, timber crib, etc., wasteway over or around dam)		
rock and brush, timber crib, etc., wasteway over or around dam)		
	rock and	d brush, timber crib, etc., wasteway over or around dam)
	·	
	*****	

## CANAL SYSTEM-

		i water tine)	feet; width on bottom
	feet; depth of water	feet; grade	feet fall per one
thousand feet.			
(b) $At$	miles from headg	gate: Width on top (at water li	ne)
	feet; width on bottom	feet; depth of wa	ter feet;
grade	feet fall per one thous		
·	4" galvanized pipe		· · · · · · · · · · · · · · · · · · ·
FILL IN	THE FOLLOWING INFORM	ATION WHERE THE WATER	R IS USED FOR
IRRIGATION-		•	
9. The	land to be irrigated has a total ar	rea of15	acres, located in each
	Give are 4, Section 11, Township 7		
Power, Minin		required, attach separate sheet)  ORTATION PURPOSES——	
Power, Minin 10. (a)	(If more space of the space of	required, attach separate sheet)  ORTATION PURPOSES—  eveloped	
Power, Minin  10. (a)	(If more space of the space of	required, attach separate sheet)  ORTATION PURPOSES—  eveloped	theoretical horsepower
Power, Minin  10. (a) (b)	(If more space of the space of	required, attach separate sheet)  ORTATION PURPOSES—  eveloped feet. ad)  ans of which the power is to be	theoretical horsepower
Power, Minin  10. (a)  (b)  (c)	(If more space of the works by means of the works to be located in	required, attach separate sheet)  ORTATION PURPOSES—  eveloped feet. ad)  ans of which the power is to be	theoretical horsepower
Power, Minin  10. (a) (b) (c) (d)  Tp	G, MANUFACTURING, OR TRANSPO  Total amount of power to be de  Total fall to be utilized	required, attach separate sheet)  ORTATION PURPOSES—  eveloped feet. ad)  ans of which the power is to be  (Legal subdivision)	theoretical horsepower
Power, Minin  10. (a) (b) (c) (d)  Tp	(If more space of the works by means of the works to be located in	required, attach separate sheet)  ORTATION PURPOSES—  eveloped	theoretical horsepower developed
Power, Minin  10. (a) (b) (c) (d)  Tp	G, MANUFACTURING, OR TRANSPO  Total amount of power to be de  Total fall to be utilized	required, attach separate sheet)  ORTATION PURPOSES—  eveloped	theoretical horsepower developed
POWER, MININ  10. (a) (b) (c) (d)  Tp	(If more space of the works by med)  Such works to be located in	required, attach separate sheet)  ORTATION PURPOSES—  eveloped	theoretical horsepower  developed

STATE ENGINEER.

MÜNICIPAL SUPPLY—					
11. To supply the city of					
(Name of)	aving a present population of,				
and an estimated population of	in 192				
(A	nswer questions 12, 13, 14, and 15 in all cases)				
12. Estimated cost of propo	sed works, \$				
13. Construction work will b	begin on or before August 1, 1927				
14. Construction work will be completed on or before August 1, 1928					
15. The water will be compl	letely applied to the proposed use on or before				
Duplicate maps of the propos	sed ditch or other works, prepared in accordance with the rules of the				
State Engineer, accompany this app	plication.				
F. A. Kurtz					
	(Name of applicant)				
Signed in the presence of us	as witnesses:				
-					
(Name)	(Address of witness)				
(2)(Name)	(Address of witness)				
Remarks:					
Water to be	pumped directly from the river with 3" viking pump				
into pipe line					
· · · · · · · · · · · · · · · · · · ·					
STATE OF OREGON, $s_s$ .					
County of Marion,					
This is to certify that I have	e examined the foregoing application, together with the accompanying				
maps and data, and return the sam	ne for correction or completion, as follows:				
	· · · · · · · · · · · · · · · · · · ·				
In order to retain its prior	rity, this application must be returned to the State Engineer, with				
corrections, on or before	, 192				
WITNESS my hand this	day of, 192				

8087(%)		
,	Application No. 11666	
$(A_{ij}, A_{ij}, A_{$	Permit No. 8087	
	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	
	District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 30th day of July,	
	192 7, at 11:00 o'clock A. M.	
	Returned to applicant for correction:	
	Corrected application received:	
	Approved:	
	Recorded in Book No. 27 of Permits, on page 8087	
	R F E A L U P E R  STATE ENGINEER.  1 map LAS \$9.50	
en e	* >	
STATE OF OREGON, County of Marion,		
This is to certify that subject to the following limit	t I have examined the foregoing application and tations and conditions: If for irrigation, this	nd do hereby grant the same appropriation shall be limite
to such reasonable rotation:	foot per second, or its equivalent, for each acre system as may be ordered by the proper state o in granted is limited to the appropri	fficer.
Willamette River for		
·	appropriated shall be limited to the amount i	
•	0.19 cubic feet per secon	•
	, ·	
Actual construction i	work shall begin on or before August 5,	1728 and sha

Complete application of the water to the proposed use shall be made on or before ..... October 1, 1930 WITNESS my hand this 5th day of August , 192 7. R F E A L U P E R

June 1, 1929

thereafter be prosecuted with reasonable diligence and be completed on or before

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.