

\* Permit No. 8116

APPLICATION FOR A PERMIT

CERTIFICATE NO. 8911

To appropriate the Public Waters of the State of Oregon

I, United States Forest Service (Name of applicant) of Box 639, Eugene (Postoffice), County of Lane State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation It is not

- 1. The source of the proposed appropriation is a small stream known as Follenbeck Creek a tributary of the Siuslaw River
2. The amount of water which the applicant intends to apply to beneficial use is .1 cubic feet per second.
3. The use to which the water is to be applied is domestic purposes, including a small amount of irrigation and power
4. The point of division is located S. 65° E. 12 chains distant from the SW corner of Lot 5, Sec. 2, T. 18 S. R. 10 W., W.M.

being within the SW 1/4 NW 1/4 of Sec. 2 of Sec. of Tp. 18 S R. 10 W, W. M., in the county of Lane

5. The pipe line to be about 7 1/2 chains miles in length, terminating in the SW 1/4 NW 1/4 of Sec. 2 of Tp. 18 S R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Water Supply of the Mepleton Administrative Site.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2 feet, length on top 5 feet, length at bottom 3 feet; material to be used and character of construction concrete

(b) Description of headgate

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

About 500 feet of pipe varying in size from 2" to 1 1/2" will be used. Total fall is about 250 feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

A small area around the buildings will be irrigated if there is surplus water but it is believed that the amount requested for domestic use will take care of this.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... 1 ..... theoretical horsepower.

(b) Total fall to be utilized ..... 250 ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed ..... By use of pressure in the pipelines.

(d) Such works to be located in the SW 1/4 NW 1/4 of Sec. 2, Tp. 18 S, R. 10 W, W. M. (No. N. or S.) (No. E. or W.) (Legal subdivision)

(e) Is water to be returned to any stream? Yes (Yes or No)

(f) If so, name stream and locate point of return Hollenbeck Creek in SW 1/4 NW 1/4, Sec. 2, Tp. 18 S, R. 10 W, W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is grinding government tools and similar purposes.

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before .....
- 14. Construction work will be completed on or before .....
- 15. The water will be completely applied to the proposed use on or before .....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

United States Forest Service

(Name of applicant)

By R. W. Gulley

Forest Supervisor

Signed in the presence of us as witnesses:

- (1) Winifred Kilburn \_\_\_\_\_, 1186 Ferry St., Eugene, Oregon.  
(Name) (Address of witness)
- (2) M. I. Cooley \_\_\_\_\_, 570 East 15th Ave., Eugene, Ore.  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 192\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_.

STATE ENGINEER.

18 Application No. 11689

Permit No. 8116

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 9th day of August

1927, at 8:00 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

September 1, 1927

Recorded in Book No. 27 of Permits, on page 8116

R H E A L U P E R

STATE ENGINEER.

1 man ACFP

\$10.25

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Hollenbeck Creek for domestic purposes, including garden irrigation, and development of 1 theoretical horsepower.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.1 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is August 9, 1927

Actual construction work shall begin on or before September 1, 1928 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1929

Complete application of the water to the proposed use shall be made on or before October 1, 1930

WITNESS my hand this 1st day of September, 1927

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.