TERTIFICATE NO. 789.

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I	OREGON TRUNK RAILWAY
	(Name of Applicant)
of	Bortland , County of Multnomah (Postoffice)
State of	f
lowing	described public waters of the State of Oregon, subject to existing rights:
If	the applicant is a corporation, give date and place of incorporation
	ober 30, 1909, Vancouver, Wash.
•••••	
1.	The source of the proposed appropriation is(Name of stream)
	DesChutes River
2.	The amount of water which the applicant intends to apply to beneficial use is
	cubic feet per second. 200,000 gal. per 24 hours
3.	The use to which the water is to be applied is(Irrigation, power, mining, manufacturing,
	Domestic Supply, for locomotives, Depot and Section Houses
domestic	supplies, etc.)
4.	The point of diversion is located
	(Give distance and bearing to section corner) eet N 16 deg. 30' W from the Southwest corner of Section 6 Tp 6 S R 14 E. W M
•	in the DesChutes River within the between Lots 8 and 9 of Sec. 1 , Tp. 6 S
R	13 E , W. M., in the county of Wasco
	The pipe line to be 200 feet miles in
5.	The to be in (Main ditch, canal or pipe line)
length,	terminating in the Lot 9 of Sec. 1, Tp. 6 S, R. 13 E, (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)
W. M.,	the proposed location being shown throughout on the accompanying map.
6.	The name of the ditch, canal or other works is.
	None Water Station
••••••	Neura acces processor
	DESCRIPTION OF WORKS
Diversion	n Works— Small rock-filled crib in river to protect suction head.
7.	(a) Height of damfeet, length on topfeet, length at bottom
	feet; material to be used and character of construction
	(Loose rock, concrete,
masonry,	rock and brush, timber crib, etc., wasteway over or around dam)
•••••	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(Thinber, concrete, etc., number and size of openings)
* A	different form of application is provided where an appropriation is to be made by the apparament of existing works

^{*}A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

from headgate. At headgate: Width on top (at water line)	feet; width on bottom
feet; depth of water feet; grade	
Chousand feet.	
(b) Atmiles from headgate: Width on	top (at water line)
feet; width on bottomfeet; depth of water	
gradefeet fall per one thousand feet.	
, www	
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER	IS USED FOR:
Irrigation—	
9. The land to be irrigated has a total area of	acres, located in each
smallest legal subdivision, as follows	
(Give area of land in each smallest legal subdivision which you intend to in	rigato)
(Give area of faild in each smallest legal subdivision which you meeted to it	
(If more space required, attach separate sheet) Power, Mining, Manufacturing, or Transportation Purposes—	
10. (a) Total amount of power to be developed	theoretical horsepower
(b) Total fall to be utilizedfeet.	•
	la develorad
(c) The nature of the words by means of which the power is to	be aevelopea
(d) Such anomine to be located in	of Sec
(d) Such works to be located in (Legal subdivision)	,
Tp, R, W. M.	
(e) Is water to be returned to any stream? (Yes or No.)	
(f) If so, name stream and locate point of return	······································
, Sec. , Tp. (No. N. or S.)	, R. W. M
(g) The use to which the power is to be applied is	
(g) The use to which the power is to be upplied to	
(h) The nature of the mines to be served	
(10) 1100 1000001 0 01 0100 11001000 00 00 0	

	resent population of, and ar
estimated population ofin	10
ostinated population of	
(Answer questions 12,	13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	<u></u>
13. Construction work will begin on or befo	re one year from date of approval
14. Construction work will be completed on	or before two years from date of approve
	the proposed use on or before
:	three wears from date of commercia
	r works, prepared in accordance with the rules of the
, company and approximation	OREGON TRUNK RAILWAY
	(Name of applicant)
e e	by C A Gay President
Signed in the presence of us as witnesses:	
Down States	625 Railway Exchange
(Name) Lena Ketchum	(Address of witness)
(2),	625 Railway Exchange
(Name) Remarks	(Address of witness)
STATE OF ORECON	
$STATE\ OF\ OREGON, \ County\ of\ Marion. \ igg\} ss.$	
STATE OF OREGON, County of Marion. \int Ss. This is to certify that I have examined the famous and data, and return the same for correction	oregoing application, together with the accompanying on or completion, as follows:
STATE OF OREGON, County of Marion. \int Ss. This is to certify that I have examined the famous and data, and return the same for correction	oregoing application, together with the accompanying
TATE OF OREGON, County of Marion. This is to certify that I have examined the foraps and data, and return the same for corrections.	oregoing application, together with the accompanying on or completion, as follows:
TATE OF OREGON, County of Marion. This is to certify that I have examined the foraps and data, and return the same for corrections.	oregoing application, together with the accompanying on or completion, as follows:
TATE OF OREGON, County of Marion. This is to certify that I have examined the foraps and data, and return the same for corrections. In order to retain its priority, this application	oregoing application, together with the accompanying on or completion, as follows:
STATE OF OREGON, County of Marion. This is to certify that I have examined the fornaps and data, and return the same for correction	oregoing application, together with the accompanying on or completion, as follows: n must be returned to the State Engineer, with cor, 19

. Let $f(x,\theta)$, then the constant of the x -type x , $\theta \in {\bf f}$

PERMIT TO APPROPRIATE THE FUELIC WATERS OF THE STATE OF OREGON Division No. 2 District No		Application No	
Division No. 2 District No		Permit No812	
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31 day of August 19.11, at 8100 o'clock A.M. Returned to application received **Corrected application received** **Corrected application received** **Corrected application received** **Sep 27 1911 **Recorded in Book No		PERMIT	
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31 day of August 10. 11, at 8100 o'clock A.M. Returned to applicant for correction Corrected application received Approved Sep 27 1911 Recorded in Book No. 3 of Permits on Page 812 John H Lewis DPM 8.00 State Engineer. 1 map STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application and do hereby grant the same, as feet to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before			
of the State Engineer at Salom, Oregon, on the 31 day of August 19 11, at \$100 o'clock A. M. Returned to application received Approved Sep 27 1911 Recorded in Book No. 3 of Permits on Page 512 John H Lewis DFM 8.00 State Engineer. 1 map STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application and do hereby grant the same, so seet to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before		Division No2 District No	
This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.		This instrument was first received in the office	
Returned to applicant for correction Corrected application received Approved Sep 27 1911 Recorded in Book No. 3 of Permits on Page 812. John H Lewis DFM 6.00 State Engineer. 1 map STATE OF OREGON, County of Marion. Ss. This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1915 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.		of the State Engineer at Salem, Oregon, on the	
Corrected application received Approved Sep 27 1911 Recorded in Book No		31 day of August	
Sep 27 1911 Recorded in Book No		19.11, at 8:00 o'clock M.	
Sep 27 1911 Recorded in Book No			
Sep 27 1911 Recorded in Book No		Corrected application received	
Recorded in Book No		Sep 27 1911	
John H Lewis DFM 8.00 State Engineer. 1 map STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application and do hereby grant the same, so flect to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.			
STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September , 19 11	$\frac{1}{2} \left(\frac{1}{2} \right) \right) \right) \right) \right)}{1} \right) \right) \right)} \right) \right)} \right)} \right)} \right)} \right)} \right)} \right$	Page812	
STATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September , 19 11		John H Lewis	
County of Marion. Ses. This is to certify that I have examined the foregoing application and do hereby grant the same, so fiect to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.		DFM 8.00 State Engineer.	
County of Marion. Ses. This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.			
County of Marion. Ses. This is to certify that I have examined the foregoing application and do hereby grant the same, so fiect to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.			
County of Marion. Ses. This is to certify that I have examined the foregoing application and do hereby grant the same, so ject to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	STATE OF OPECON		
This is to certify that I have examined the foregoing application and do hereby grant the same, so feet to the following limitations and conditions: The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.			
The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	-	,	ha aama a
The priority date of this permit is August 31, 1911 The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	, ·		•
The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	,		
The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September , 19 11.	The priority date (on this permit is august of, 1511	
The amount of water appropriated shall be limited to the amount which can be applied to benefic use and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 cand shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September , 19 11.			
ase and not to exceed 4/10 (0.40) cubic feet per second. Actual construction work shall begin on or before Sept 27 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.			
Actual construction work shall begin on or before			to peneno
and shall thereafter be prosecuted with reasonable diligence and be completed on or before Sept 27 1913 Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	•		- V
Complete application of the water to the proposed use shall be made on or before Sept 27 1914 WITNESS my hand this 27th day of September 19 11.	Actual construction wor	k shall begin on or before Sept 27 1912	
Sept 27 1914 WITNESS my hand this 27th day of September , 19 11.	and shall thereafter be prose		
Sept 27 1914 WITNESS my hand this 27th day of September , 19 11.	Complete annlication of	the water to the proposed use shall be made on or before	* **
WITNESS my hand this 27th day of September , 19 11.	e was to war over the control of the control of	Sent 27 1914	<u>.</u>
	The state of the s		
· ·		· · · · · · · · · · · · · · · · · · ·	

pilat Gentrol March 11, 1909.