

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, George E Calverley (Name of applicant) of Swim (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is A spring, tributary to an unnamed creek (Name of stream), tributary of Camp creek

2. The amount of water which the applicant intends to apply to beneficial use is .05 second feet cubic feet per second.

3. The use to which the water is to be applied is Home use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of division is located S 34 degrees E 579 feet from the section corner common to sections 13, 14, 23, and 24, T 3 S., R 8 1/2 E., W.M. (Give distance and bearing to section corner)

being within the NW 1/4 NW 1/4 of Sec. 24, Tp. 3S, R. 8 1/2 E, W. M., in the county of Clackamas (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The pipe to be 450 ft more or less (Main ditch, canal or pipe line) feet in length, terminating in the NE 1/4 NE 1/4 of Sec. 23, Tp. 3 S, R. 8 1/2 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 4 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction Lumber box (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 450 ft.  $\frac{3}{4}$  pipe feet; width on bottom ..... feet; depth of water ..... feet; grade 6  $\frac{1}{2}$  feet fall per one thousand feet.

(b) At ..... miles from headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.) (Legal subdivision)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return ..... , Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 85.00.....
- 13. Construction work will begin on or before Feb. 10, 1928.....
- 14. Construction work will be completed on or before Feb. 20, 1928.....
- 15. The water will be completely applied to the proposed use on or before Feb. 20, 1928.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

George E Calverley  
(Name of applicant)  
Swim, Oregon

Signed in the presence of us as witnesses:

- |     |                                    |  |
|-----|------------------------------------|--|
| (1) | Francis E Williamson, Jr<br>(Name) | Rhododendron, Oregon<br>(Address of witness) |
| (2) | P.A. Peterson<br>(Name)            | Faubron, Oregon<br>(Address of witness)      |

Remarks: .....

STATE OF OREGON, }  
                                  } ss.  
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: .....  
Correction and balance of fees  
.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before Jan. 28....., 1928.

WITNESS my hand this 28th..... day of December....., 1927....  
Rhea Luper

STATE ENGINEER.

Application No. 11886

Permit No. 8276

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of December, 1927, at 8:00 o'clock A.M.

Returned to applicant for correction:

December 28, 1927

Corrected application received:

January 11, 1928

Approved:

January 31, 1928

Recorded in Book No. 27 of Permits, on page 8276

Rhea Luper STATE ENGINEER.

1 Map ACFP

10.00

STATE OF OREGON, ) ss. County of Marion, )

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an unnamed Spring for domestic purposes

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.05 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is December 28, 1927

Actual construction work shall begin on or before January 31, 1929 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1930

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 31st day of January, 1928

Rhea Luper STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.