

To Appropriate the Public Waters of the State of Oregon

I, Otis H. Storm
(Name of applicant)
of Jefferson, (Postoffice), County of Marion,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is A branch of the North Santiam
(Name of stream)
River and Edgar Slough, tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is
0.62 cubic feet per second.

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of division is located No. 1, 23 ch. East and 10 ch. North of the SW
(Give distance and bearing to section corner)
corner of Sec. 34, T 9 S, R 2 W., W.M.; No. 2, 6 ch North and 5 ch. West of the
center of Sec. 4, T. 10 S., R 2 W., W.M.; No. 3, 12 ch. North and 5 ch. East of the
West Quarter corner of Sec. 4 T. 10 S., R 2 W., W.M. Also at other convenient
intermediate points between diversions Nos. 2 and 3
being within the 34 9 S
(Give smallest legal subdivision) 4 10 S
(No. N. or S.)
R. 2 W., W. M., in the county of Marion
(No. E. or W.)

5. The Probably no ditches required. Irrigation to be by flooding or subbing
(Main ditch, canal or pipe line)
miles in length, terminating in the of Sec. of Sec. of Sec.
(Smallest legal subdivision) (No. N. or S.)
R. W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 6 feet, length on top 30 feet, length at bottom
30 feet; material to be used and character of construction timber
(Loose rock, concrete, masonry,
Applicant will install about four dams of the size above given
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 55.5 acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

22 acres in the SW 1/4 NW 1/4

29.5 acres in the SE 1/4 NW 1/4

4 acres in the NE 1/4 SW 1/4 Section 4, Township 10 South, Range 2 West, W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec., Tp., R., W. M. (Legal subdivision) (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return , Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 400.00
- 13. Construction work will begin on or before one year from date of approval
- 14. Construction work will be completed on or before two years from date of approval
- 15. The water will be completely applied to the proposed use on or before three years from date of approval

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

_____ Otis H. Storm _____
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Lewis A. Stanley, Salem, Oregon
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

Application No. 11924

Permit No. 8303

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 26th day of Jan.

1928, at 3:00 o'clock P.M.

Returned to applicant for correction:

Corrected application received:

Approved:

February 9, 1928

Recorded in Book No. 27 of Permits, on page 8303

Rhea Luper STATE ENGINEER

1 map ACFP \$13.40

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from A Branch of the Norht Santiam River and Edgar Slough for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.62 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is January 26, 1928

Actual construction work shall begin on or before February 9, 1929 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1930

Complete application of the water to the proposed use shall be made on or before October 1, 1931

WITNESS my hand this 9th day of February, 1928

Rhea Luper STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.