

* Permit No. 8354

CERTIFICATE NO. 11061

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Fruitvale Water Users Association by Ed Hodgen, Sec-Treas., of Freewater - Route #2, County of Umatilla, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is East Branch of Ford Branch, a branch of the little Walla Walla River, tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 3.3 cubic feet per second.

3. The use to which the water is to be applied is Supplemental Irrigation especially during the winter and early spring months

4. The point of division is located at the center of NE 1/4 Sec. 27 and 600 ft. east of center of NE 1/4 Sec. 27., Tp. 6 N. R. 35 E., W.M.

being within the SE 1/4 NE 1/4 of Sec. 27, Tp. 6 N., R. 35 E., W. M., in the county of Umatilla

5. The Main Canal 3/4 miles long to be 3/4 miles in length, terminating in the NW 1/4 NW 1/4 of Sec. 27, Tp. 6 N., R. 35 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Fruitvale Water Users Association Canal

DESCRIPTION OF WORKS

DIVERSION WORKS— Is a wooden 2 way box 4' wide and 3' high, it will be replaced with a concrete box
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of heddgate Wooden gage - 4 x 3 ft.

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 4 ft. feet; width on bottom 2 feet; depth of water 2 feet; grade 15 feet fall per one thousand feet.

(b) At _____ miles from headgate: Width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 262 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

SW 1/4 SW 1/4	Sec. 16	20 acres	x
NE 1/4 NE 1/4	Sec. 20	40 acres	x
SE 1/4 NE 1/4	Sec. 20	9 acres	x
NW 1/4 NW 1/4	Sec. 21	20 acres	x
NE 1/4 NW 1/4	Sec. 21	40 acres	x
SW 1/4 NW 1/4	Sec. 21	10 acres	x
SE 1/4 NW 1/4	Sec. 21	17 acres	x
SW 1/4 NE 1/4	Sec. 21	24 acres	x
NW 1/4 SE 1/4	Sec. 21	20 acres	x
NE 1/4 SE 1/4	Sec. 21	17 acres	x
SW 1/4 SE 1/4	Sec. 21	35 acres	x
SE 1/4 SE 1/4	Sec. 21	10 acres	x
Total		262 acres	

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Total fall to be utilized _____ feet.
(Head)

(c) The nature of the works by means of which the power is to be developed _____

(d) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? _____
(Yes or No)

(f) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is _____

(h) The nature of the mines to be served _____

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

12. Estimated cost of proposed works, \$ 500.00

13. Construction work will begin on or before Has been completed for about 10 years

14. Construction work will be completed on or before Was completed about 1918

15. The water will be completely applied to the proposed use on or before April 1st, 1930
and has been in use about 10 years

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Fruitvale Water Users Association

(Name of applicant)

By Ed Hodgen, Sec. Treas.

Route #2 - Freewater, Oregon

By A.E.Perry, Agt.

Signed in the presence of us as witnesses:

(1) Aubrey E. Perry, Pendleton, Oregon
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

It has been the practice for the last ten years during the winter and early spring months when no one on the Ford Branch above was using much water and it was running to waste to divert part of this water a canal into the Middle Branch of Mud Creek and run it down the creek and all the users get the benefit of some of it. By getting this extra water in the spring and soaking the land, then when they are cut down to only Mud Creek water, the crops have a better chance of coming thru the summer with out getting too dry.

AEP

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER.

Application No. 11954

Permit No. 8354

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 23rd day of February

1928, at 8:00 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

April 2nd, 1928

Recorded in Book No. 28 of Permits, on page 8354

RHEA LUPER STATE ENGINEER.

1 map ACFP \$28.00 .10

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited including water heretofore appropriated. to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from East Branch of Ford Branch for supplemental supply for lands already having a partial water right

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 3.3 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is February 23, 1928

Actual construction work shall begin on or before April 2, 1929 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1930

Extended to Oct. 1, 1932 10/1/32

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1931

Extended to Oct. 1, 1933 10/1/33

WITNESS my hand this 2nd day of April, 1928

RHEA LUPER STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.