

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fannie M. Clemo (Name of applicant) of Elkton (Postoffice), County of Douglas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gould Creek (Name of stream)

a small stream, tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second.

3. The use to which the water is to be applied is domestic use, including the irrigation of a family garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of division is located about 2,600 ft. in a Northwesterly direction (Give distance and bearing to section corner) from SE corner of Sec. 22, T. 22, R. 8 W., of Willamette Meridian

being within the SW quarter SE 1/4 of Sec. 22, Tp. 22 S., R. 8 W., W. M., in the county of Douglas (Give smallest legal subdivision) (No. N. or S.)

5. The pipe line is to be 1,800 ft. (Main ditch, canal or pipe line)

in length, terminating in the NE 1/4 of SW 1/4 of Sec. 22, Tp. 22 S., R. 8 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is pipe line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

Our Diversion is a (b) Description of headgate small tank about 2' x 2' x 5' fed by 1" pipe 30' in length, said pipe lays in creek, water is checked by small dam of rocks and dirt in summer. (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

Pipe line leading from storage tank is approximately 40' of 1 1/2", 40' 1 1/4", 2 00' 1", bal. 1,520' pipe with approximately 75' fall

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

A family garden

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

Application No. 12321

Permit No. 8694

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of Sept., 1928, at 8:00 o'clock A.M.

Returned to applicant for correction:

September 14, 1928.

Corrected application received:

September 24, 1928

Approved:

October 17, 1928

Recorded in Book No. 28 of Permits, on page 8694

RHEA LUPER

STATE ENGINEER.

1 map ACFP

\$10.00

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Gould Creek for domestic use including garden irrigation.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.05 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 11, 1928.

Actual construction work shall begin on or before October 17, 1929 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1930

Complete application of the water to the proposed use shall be made on or before October 1, 1931

WITNESS my hand this 17th day of October, 1928

Rhea Luper

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.