STATE OF OREGON

COUNTY OF POLK

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

JACK PLATT PLATT DAIRY 11070 OAK HILL RD INDEPENDENCE OR 97351

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-88645

SOURCE OF WATER: WILLAMETTE BASIN PROJECT RESERVOIRS, CONSTRUCTED

UNDER PERMITS R-1628 AND R-5363, TRIBUTARIES TO WILLAMETTE RIVER

PURPOSE OR USE AND PERIOD OF USE:

PRIMARY IRRIGATION OF 133.9 ACRES; MARCH 1 THROUGH OCTOBER 31

PRIMARY IRRIGATION OF 849.6 ACRES; MARCH 1 THROUGH MARCH 31 AND OCTOBER 1 THROUGH OCTOBER 31

SUPPLEMENTAL IRRIGATION OF 849.6 ACRES; APRIL 1 THROUGH SEPTEMBER 30

MAXIMUM VOLUME: 983.5 ACRE-FEET (OR AS FURTHER LIMITED BY CONTRACT)

DATE OF PRIORITY: AUGUST 3, 2018

Authorized Point of Re-Diversion:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	4 W	WM	23	SE SW	430 FEET NORTH AND 1550 FEET EAST FROM SW GORNER/SECTION 23

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

Authorized Place of Use:

Twp	Rng	Mer	Sec.	Q-Q	Primary Trigation (MAR)1-OCT-31)	Primary Irrigation (MAR 1-MAR 31 &	Supplemental Irrigation
						OCT 1-OCT 31)	(APR 1-SEP 30)
9 S	4 W	WM	8	SW SE	10.7		
9 S	4 W	WM	8	SE SE	2.3		
9 S	4 W	WM	16	SW SW		30.1	30.1
9 S	4 W	WM	16	SE SW	4.1	3.6	3.6
9 S	4 W	WM	17	NE NE	6.2		
9 S	4 W	WM	17	NW NE	34.4		
9 S	4 W	WM	17	SW NE	5.0		
9 S	4 W	WM	17	SE NE	0.1		

Application S-88645 Basin #2 Water Resources Department Page 1 of 4 S-88213 Permit Water District # 16

9 S 4 W WM 17 SW SE 36.0 9 S 4 W WM 17 SE SE 31.1 9 S 4 W WM 20 NE NE 40.0 9 S 4 W WM 20 SW NE 40.0 9 S 4 W WM 20 SE NE 39.4 9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 20 NE SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NE NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 <th>36.0 31.1 40.0 40.0 39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1</th>	36.0 31.1 40.0 40.0 39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 NE NE 40.0 9 S 4 W WM 20 NW NE 40.0 9 S 4 W WM 20 SE NE 39.4 9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 20 NW SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NE NW 40.0 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 2	40.0 40.0 40.0 39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 NW NE 40.0 9 S 4 W WM 20 SW NE 40.0 9 S 4 W WM 20 SE NE 39.4 9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NE NW 40.0 9 S 4 W WM 21 NE NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NE SW 4.6 9 S 4 W WM 21 NE	40.0 40.0 39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 SW NE 40.0 9 S 4 W WM 20 SE NE 39.4 9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 20 NW SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NE NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE S	40.0 39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 SE NE 39.4 9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 20 NW SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SE NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE S	39.4 21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 NE SE 21.2 9 S 4 W WM 20 NW SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NE NW 40.0 9 S 4 W WM 21 SW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 39.2	21.2 20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 20 NW SE 20.7 9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE	20.7 39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 NW NE 39.5 9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	39.5 23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 SW NE 23.8 9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	23.8 34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 SE NE 4.4 9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NE SW 22.1 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	34.1 40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 NE NW 3.0 34.1 9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 NW NW 40.0 9 S 4 W WM 21 SW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	40.0 40.0 24.9 32.2 22.1
9 S 4 W WM 21 SW NW 40.0 9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	40.0 24.9 32.2 22.1
9 S 4 W WM 21 SE NW 0.4 24.9 9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	24.9. 32.2 22.1
9 S 4 W WM 21 NE SW 32.2 9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	32.2 22.1
9 S 4 W WM 21 NW SW 22.1 9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	22.1
9 S 4 W WM 21 SE SW 4.6 9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	
9 S 4 W WM 21 NE SE 1.4 9 S 4 W WM 21 NW SE 39.2	
9 \$ 4 W WM 21 NE SE 1.4 9 \$ 4 W WM 21 NW SE 39.2	4.6
9 S 4 W WM 21 SW SF 7 9	39.2.
$1 \cdot \cdot$	7.8
9 S 4 W WM 22 SW NW 12.4	
9.S 4.W WM 22 SE.NW 5.3	
9 S 4 W WM 22 NE SW 12.2	-
9 S 4 W W.M 22 NW SW 23.9	-
9 S 4 W WM 22 NE SE 3.3	3.3
9 S 4 W WM 22 NW SE 5.0	5.0
9 S 4 W WM 22 SW SE 16.6	16.6
9 S. 4 W WM 22 SE SE 12.1	12.1
9.8 4 W WM 28 NE NE 6.2	6.2
9 S 4 W WM 28 NW NE 16.0	16.0
9 S 4 W WM 28 SW NE 40.0	40.0
9 S4 W WM 28 SE NE	. 15.0
9 S 4 W WM 28 NE NW 5.6	. 5.6
9 S 4 W WM 28 SE NW 16.2	16.2
9. S 4 W WM 28 NE SW 19.0	19.0
9 S 4 W WM 28 SE SW 15.8	15.8
9 S 4 W WM 28 NE SE 2.9 12.3	12.3
9 S 4 W WM 28 NW SE 0.2 28.6	28.6
9 S 4 W WM 28 SW SE 2.0 16.6	16.6
9 S 4 W WM 28 SE SE 3.0 11.0	11.0

1. Measurement Devices and Recording/Reporting of Annual Water Use Conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of diversion. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.
- 2. The water user shall install, maintain, and operate fish screening and fish passage devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion, while passage devices provide adequate upstream and downstream passage for fish. The required screen and passage devices are to be in place and functional, and approved in writing by ODFW prior to diversion of water. The water user may submit evidence in writing that ODFW has determined screens and/or passage devices are not necessary.
- 3. The use of water under this right is subject to the terms and conditions of contract No. 199E101993, or a satisfactory replacement, between the Bureau of Reclamation and the permittee, a copy of which must be on file in the records of the Water Resources Department.

STANDARD CONDITIONS

- 1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties of cancellation of the permit.
- 2. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.
- 3. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
- 4. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Application S-88645 Basin #2

Water Resources Department Page 3 of 4 S-88213 Permit Water District # 16

- 5. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.
- 6. Construction of the water system shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.
- 7. Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.
- 8. Within one year after making complete application of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued

JUN 1 1 2019

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department