

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 10547

To appropriate the Public Waters of the State of Oregon

I, John O'Brien (Name of applicant) of Ruch (Postoffice), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is O'Brien spring, tributary to Big Applegate River, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second.

3. The use to which the water is to be applied is domestic supply for two dwellings (see plat)

4. The point of diversion is located 1000 ft. east and 800 ft. north from the corner of common to Section 19 and 24, 25, and 30, Twp. 58 S., R. 3 and 4 W., W. 4.

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 19, Tp. 38 S, R. 3 W, W. M., in the county of Jackson

5. The main pipeline to be 2,200 feet with branches 500 feet and 600 feet in length, terminating in the NE 1/4 NE 1/4 and SW 1/4 NW 1/4 of Sec. 25 and 30, Tp. 58 S, Rs 3 and 4 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is O'Brien Pipe Line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
38	3	30	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Domestic
38	4	25	NE $\frac{1}{4}$ NE $\frac{1}{4}$	"

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 12569

Permit No. 8915

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of Feb., 1929, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 18, 1929

Recorded in book No. 29 of Permits on page 8915

RHEA LUPER STATE ENGINEER

15 page 363 h. Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from O'Brien Spring, tributary of Big Applegate River

The use to which this water is to be applied is Domestic supplies for two dwellings

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 20, 1929

Actual construction work shall begin on or before March 18, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 18th day of March, 1929

RHEA LUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5303, Oregon Laws.