

\*Permit No. 892

# APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I, Isabell Gray  
(Name of Applicant)

of Philomath, County of Benton  
(Postoffice)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is.....  
(Name of stream)

Gellatly Creek

2. The amount of water which the applicant intends to apply to beneficial use is.....  
41/100 cubic feet per second.

3. The use to which the water is to be applied is.....  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Irrigation

4. The point of diversion is located 8.47 chs. S and 13.15 chs. W of the NE cor.  
(Give distance and bearing to section corner)

of Geo. E. Knowlton D. L. C. #70

being within the NW 1/4 of the SE 1/4 of Sec. 16, Tp. 12 S  
(Give smallest legal subdivision) (No. N. or S.)

R. 6 W, W. M., in the county of Benton  
(No. E. or W.) 2137 ft.

5. The main ditch to be about one-half miles in  
(Main ditch, canal or pipe line)

length, terminating in the SW 1/4 of the SE 1/4 of Sec. 16, Tp. 12 S, R. 6 W  
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is.....

Gray Ditch

## DESCRIPTION OF WORKS

### Diversion Works—

7. (a) Height of dam.....feet, length on top.....feet, length at bottom

.....feet; material to be used and character of construction.....  
(Loose rock, concrete,

masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate.....  
(Timber, concrete, etc., number and size of openings)

\*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Canal System—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

Irrigation—

9. The land to be irrigated has a total area of 33 acres, located in each smallest legal subdivision, as follows.....

6 acres in NW 1/4 of the SE 1/4.

(Give area of land in each smallest legal subdivision which you intend to irrigate)

.5 acres in NE 1/4 of SE 1/4
22.5 acres in the SW 1/4 of the SE 1/4 and

3 acres in the SE 1/4 of the SE 1/4 of Sec. 16 and

1 acre in the NW 1/4 of the NE 1/4 of Sec. 21 Tp. 12 S. R. 6 W.

(If more space required, attach separate sheet)

Power, Mining, Manufacturing, or Transportation Purposes—

10. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Total fall to be utilized.....feet. (Head)

(c) The nature of the works by means of which the power is to be developed.....

(d) Such works to be located in.....of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(e) Is water to be returned to any stream?..... (Yes or No.)

(f) If so, name stream and locate point of return....., Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(g) The use to which the power is to be applied is.....

(h) The nature of the mines to be served.....

Municipal Supply—

11. To supply the city of \_\_\_\_\_, \_\_\_\_\_ County, having a present population of \_\_\_\_\_, and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.00
13. Construction work will begin on or before One year from date of approval
14. Construction work will be completed on or before Two years from date of approval
15. The water will be completely applied to the proposed use on or before Three years from date of approval

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the Board of Control, accompany this application.

Isabell Gray (Name of applicant)

Signed in the presence of us as witnesses:

(1) Marguerite Mers, Salem, Ore.
(Name) (Address of witness)
(2) \_\_\_\_\_, \_\_\_\_\_
(Name) (Address of witness)

Remarks \_\_\_\_\_

STATE OF OREGON,
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:
For completion & maps.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before October 8, 19 11.

WITNESS my hand this 8 day of September, 19 11

John H Lewis
LA State Engineer.

2

Application No. 1688

Permit No. 892

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 1 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8 day of September 1911, at 8:00 o'clock A.M.

Returned to applicant for correction

September 8, 1911

Corrected application received

September 23, 1911

Approved

Nov 14 1911

Recorded in Book No. 4 of Permits on 892 Page

John H Lewis

DFM 1 map State Engineer. 7.95

STATE OF OREGON, County of Marion. ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The appropriation for irrigation purposes shall be limited to one-eightieth of one cu. ft. per sec. for each acre irrigated. The use hereunder shall conform to any reasonable rotation system ordered by the proper State officer.

The priority date of this permit is September 8, 1911

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 41/100 (0.41) cubic feet per second. or its equivalent in case of rotation.

Actual construction work shall begin on or before November 14, 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before November 14, 1913

Complete application of the water to the proposed use shall be made on or before November 14, 1914

WITNESS my hand this 14th day of November, 1911

John H Lewis

State Engineer.

EXTENDED TO 6/1/14 EXTENDED TO 6/1/15 EXTENDED TO 6/1/16 EXTENDED TO 10/1/15 EXTENDED TO 10/1/16