

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Wallowa Cemetery Association
(Name of applicant)
of Wallowa, County of Wallowa,
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation
1926, Wallowa, Oregon

1. The source of the proposed appropriation is Wallowa River
(Name of stream)
, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)
The pipe line will divert from the Wallowa Irrigation Canal in the
(If preferable, give distance and bearing to Sec. Cor.)
SE 1/4 Section 13, T. 1 N., R. 42 E., W.M.
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SE 1/4 of Sec. 21, Tp. 1 N,
(Give smallest legal subdivision) (No. N. or S.)
R. 43 E, W. M., in the county of Wallowa
(No. E. or W.)
Pipe line 300 feet
5. The Canal to be 4 miles
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 18, Tp. 1 N,
(Smallest legal subdivision) (No. N. or S.)
R. 43 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Wallowa Irrigation Canal and pipe line.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
Same as works used by Wallowa Irrigation Company Canal for many years.

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 2" in.; size at Reservoir ~~ft. from intake~~ 1 1/2" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, sec. ft. Water will be pumped into the reservoir through the pipe line above described and thence distributed throughout the cemetery.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 4.5 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
1 N	42 E	15	SE 1/4 NE 1/4	1
1 N	43 E	18	SW 1/4 NW 1/4	3.5

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 387.00 for pump and pipe lines
Installed early summer of 1928.
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

WALLOWA CEMETERY ASSOCIATION

(Name of applicant)

W. F. Poole, Chairman

Signed in the presence of us as witnesses:

- (1) Edwin Marvin Wallowa, Oregon.
(Name) (Address of witness)
- (2) Fred Rich Wallowa, Oregon.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 12023

Permit No. 8924

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of April 1928, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

March 1, 1929

Approved:

March 18, 1929

Recorded in book No. 29 of Permits on page 8924

RHEALUPER STATE ENGINEER

8 page 208 a. Fees paid \$9.50

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 11, 1928

Actual construction work shall begin on or before March 18, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 18th day of March, 1929

RHEALUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.