

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, George W. Street (Name of applicant) of Dayville (Postoffice), County of Grant, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation Not a corporation

1. The source of the proposed appropriation is John Day (Name of stream), a tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 1 cubic feet per second. One source (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SW 1/4 of Sec. 36, Tp. 12 S, R. 26 E, W. M., in the county of Grant (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The Ditch to be 1.5 miles in length, terminating in the NE 1/4 NW 1/4 of Sec. 35, Tp. 12 S, R. 26 E, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (No. miles or feet) (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is Street Ditch

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 6 feet, length on top 80 feet, length at bottom 80 feet; material to be used and character of construction Loose Rock and brush - over (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber and lumber, one opening 6 ft. wide (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 35 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
12	26	35	NE $\frac{1}{4}$ NW $\frac{1}{4}$	26 acres
			NW $\frac{1}{4}$ of NE $\frac{1}{4}$	9 "

(If more space required, attach separate sheet)

(a) Character of soil Gravelly sub soil

(b) Kind of crops raised Grain

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.,
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 100.00
- 13. Construction work will begin on or before April 1st, 1929
- 14. Construction work will be completed on or before April 1st, 1931
- 15. The water will be completely applied to the proposed use on or before
..... April 1st, 1931

George W. Street
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Malcolm McLennan, Dayville, Oregon
(Name) (Address of witness)
- (2) Lois H. Street, Dayville, Oregon
(Name) (Address of witness)

Remarks: This is an extension of a lateral in the F. L. Officer field
out of the Officer and Ringsmyer Ditch, and would like to apply some of
the water to beneficial use this coming season.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 12614

Permit No. 8961

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of March, 1929, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 24, 1929

Recorded in book No. 50 of Permits on page 8961

RHEALUPER STATE ENGINEER

6 p. 143 c. \$10.25

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.44 cubic feet per second, or its equivalent in case of rotation with other water users, from The John Day River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1929

Actual construction work shall begin on or before April 24, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 24th day of April, 1929

RHEALUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5303, Oregon Laws.