

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Archie Worthington (Name of applicant) of R.D. 1, Oswego, Ore. (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River (Name of stream), a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 1/4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2065 ft. South and 655 ft. West from the 1/4 Sec. corner of between Sections 18 and 19, T. 2 S., R. 1 E of the W.M. Being also S. 17° 36' W. 2166.5 ft. distant from the NE Cor. of NW 1/4 of Section 19, said Township and range. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NW 1/4 of Sec. 19, Tp. 2 South, R. 1 East, W. M., in the county of

5. The pipe line to be 715 ft. in length, terminating in the SE 1/4 of the NW 1/4 of Sec. 19, Tp. 2 South, R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Tualatin River

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam none feet, length on top none feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 715 ft.; size at intake, 2 1/2 in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 34 ft. Is grade uniform? No. Estimated capacity, 1/3 sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 13.15 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
2 S	1 E	19	SE 1/4 NW 1/4	13.15
.....
.....
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

(a) Character of soil Sandy

(b) Kind of crops raised General

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.) (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

Archie Worthington
(Name of applicant)
Oswego, Ore. R.D. 1

Signed in the presence of us as witnesses:

- (1) John Sigrist, Oswego, R. 1, Box 63
(Name) (Address of witness)
- (2) Geo. G. Powers, Oswego, R. 1, Box 50
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 2nd, 1929
May 2nd, 1929

WITNESS my hand this 1st day of March, 1929
April 1st, 1929

RHEA LUPER
HB STATE ENGINEER

Application No. 12588

Permit No. 9022

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of February 1929, at 1:00 o'clock P.M.

Returned to applicant:

March 1, 1929; April 1, 1929

Corrected application received:

March 29, 1929

Approved:

June 28, 1929

Recorded in book No. 30 of Permits on page 9022

R H E A L U P E R STATE ENGINEER

2 p. 42 \$9.50

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 27, 1929

Actual construction work shall begin on or before June 28, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 28th day of June, 1929

R H E A L U P E R STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.