

***APPLICATION FOR A PERMIT**

CERTIFICATE NO. 9074

To Appropriate the Public Waters of the State of Oregon

I, J. B. Van Cleve (Name of applicant)
of Route 4, Box 9 M., Salem (Postoffice), County of Marion,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clark Creek (Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic, including garden irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
corner of _____ (Section or subdivision)
Near SE corner of SE 1/4, Section 3, Twp. 8 S., R. 3 W., W.M.
(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of Sec. 3, Tp. 8 S.,
(No. N. or S.)
R. 3 W., W. M., in the county of Marion
(No. E. or W.)

5. The Pipe to be 40 ft.
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE 1/4 of Sec. 3, Tp. 8 S.,
(No. N. or S.)
R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 1.5 feet, length on top 3 feet, length at bottom
2 feet; material to be used and character of construction loose rock
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 50.00
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before Two years
- 15. The water will be completely applied to the proposed use on or before Three years

J. B. Van Cleve
(Name of applicant)

Signed in the presence of us as witnesses:

- (1)
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: Works to consist of dam, pipe line from dam to ram, ram, pipe line
ram to house and garden.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 12594

Permit No. 9023

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of March

1929, at 2:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 28, 1929

Recorded in book No. 30 of Permits on page 9023

R H E A L U P E R STATE ENGINEER

2 p. 45 p. \$10.00

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from Clark Creek

The use to which this water is to be applied is Domestic, including garden irrigation

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 4, 1929

Actual construction work shall begin on or before June 28, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 28th day of June, 1929

R H E A L U P E R STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.