

To appropriate the Public Waters of the State of Oregon

I, COLUMBIA COUNTY GOLF CLUB, an Oregon corporation
(Name of applicant)
of St. Helens, County of Columbia,
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

Incorporated on June 5, 1928, at St. Helens, Oregon

1. The source of the proposed appropriation is McNulty Creek
(Name of stream)

Columbia River, tributary of

2. The amount of water which the applicant intends to apply to beneficial use is

One-half cubic feet per second.

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 66° 15' E. -- 2015 feet from the quarter section
(Give distance and bearing to section corner)

corner between sections 7 and 8, T. 4 N., R. 1 W of W.M., Columbia County, Oregon/

being within the SE 1/4 of NW 1/4 of Sec. 8, Tp. 4 N.,
(Give smallest legal subdivision) (No. N. or S.)

R. 1 W, W. M., in the county of Columbia
(No. E. or W.)

5. The Pipe line to be one-half
(Main ditch, canal or pipe line)

miles in length, terminating in the NW 1/4 of the NE 1/4 of Sec. 8, Tp. 4 N.,
(Smallest legal subdivision) (No. N. or S.)

R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Columbia County Golf course pipe line.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam three feet, length on top fifteen feet, length at bottom eight feet; material to be used and character of construction timber construction,
(Loose rock, concrete, masonry, wasteway over top.
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Water to be pumped
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of fifty-two acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

7 acres NW 1/4 of NE 1/4

4 " NE 1/4 of NW 1/4

24 " SE 1/4 of NW 1/4

11 " SW 1/4 of NE 1/4 and

6 " NE 1/4 of SW 1/4 of Section 8, T. 4 N., R. 1 W.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

....., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ Dam \$50.00 (Pipe line \$1600.00)
- 13. Construction work will begin on or before Just as soon as permit is granted
- 14. Construction work will be completed on or before May 25, 1929
- 15. The water will be completely applied ~~to the~~ proposed use on or before May 25, 1929.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

COLUMBIA COUNTY GOLF CLUB
(Name of applicant)

By John L. Storla
Secretary

Signed in the presence of us as witnesses:

- (1) Helen Johnson, St. Helens, Oregon
(Name) (Address of witness)
- (2) Martha Heimuller, St. Helens, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 1 2 7 3 0

Permit No. 9 0 5 8

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

*This instrument was first received in the
office of the State Engineer at Salem, Ore-*

gon, on the 17th day of May

1929, at 8:00 o'clock A M.

Returned to applicant for correction:

Corrected application received:

Approved:

June 28, 1929

Recorded in book No. 30 of

Permit on page 9 0 5 8

R H E A L U P E R

STATE ENGINEER

3 p. 52 d

\$12.80

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The right herein granted is limited to the appropriation of water from
McNulty Creek for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.5 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is May 17, 1929.

Actual construction work shall begin on or before June 28, 1930, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931.

Complete application of the water to the proposed use shall be made on or before October 1, 1932.

WITNESS my hand this 28th day of June, 1929...

RHEA LUPER,

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.