

\*APPLICATION FOR A PERMIT

CERTIFICATE NO. 9237

To appropriate the Public Waters of the State of Oregon

I, James A. Banford and Willis B. Hargraves (Name of applicant) of Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unknown spring, tributary of Unknown Stream, of Still Creek, a tributary of Zigzag River, Sandy River, Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic Supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Bears S 1° 30' W, 1372 feet from 1/4 corner common to Sections 11 and 14, T. 3 S., R. 7 E., W.M., being a part of the Mount Hood National Forest, Oregon

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4, SW 1/4 of NE 1/4 of Sec. 14, Tp. 3 S., R. 7 E., W. M., in the county of Clackamas

5. The pipe line (3/4 inch) to be 800 feet in length, terminating in the SE 1/4, NW 1/4 of NE 1/4 of Sec. 14, Tp. 3 S., R. 7 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of .....  
(Name of) .....  
and an estimated population of ..... in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 150.00.....
- 13. Construction work will begin on or before One year from approval of application .....
- 14. Construction work will be completed on or before Two years.....
- 15. The water will be completely applied to the proposed use on or before Three years.....

James A. Bamford  
.....  
(Name of applicant)  
Willis B. Hargraves  
.....  
By T. J. Maloney, Agent  
.....

Signed in the presence of us as witnesses:

- (1) Lewis A. Stanley ..... , Salem .....  
(Name) ..... (Address of witness) .....
- (2) ..... , .....  
(Name) ..... (Address of witness) .....

Remarks: .....

STATE OF OREGON, )  
                          ) ss.  
County of Marion, )

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 192.....

WITNESS my hand this ..... day of ....., 192.....

STATE ENGINEER

Application No. 12766

Permit No. 9078

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June 1929, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 28, 1929

Recorded in book No. 30 of Permits on page 9078

RHEA LUPER STATE ENGINEER Drainage Basin No. 3, Page 67 Fees Paid \$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1929

Actual construction work shall begin on or before June 28, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 28th day of June, 1929

RHEA LUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.