

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Fred M. Brace (Name of applicant)
of Enterprise (Postoffice), County of Wallowa,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Branch (Name of stream)
....., a tributary of Prairie Creek

2. The amount of water which the applicant intends to apply to beneficial use is

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the
corner of (Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of Sec. 2, Tp. 2 S.
(Give smallest legal subdivision) (No. N. or S.)

R. 44 E., W. M., in the county of Wallowa
(No. E. or W.)

5. The Canal to be 600
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE 1/4 Lot 1 of Sec. 3, Tp. 2 S.
(Smallest legal subdivision) (No. N. or S.)

R. 44 E., W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is No name

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2 1/2 feet, length on top 20 feet, length at bottom
20 feet; material to be used and character of construction Timber with 4' x 2 1/2'
opening in center for waste (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 1' x 2' Headgate of timber
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) Small canal feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 8 acres, located in each smallest legal subdivision, as follows: SE¹/₄ of Lot 1

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
2	44 E	3	SE ¹ / ₄ lot 1	8
.....
.....
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

(a) Character of soil Gravelly loam

(b) Kind of crops raised Garden and pasture.

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 50.00
- 13. Construction work will begin on or before Completed
- 14. Construction work will be completed on or before Completed
- 15. The water will be completely applied to the proposed use on or before
July 20, 1929.

FRED M. REECE

(Name of applicant)

Enterprise

Signed in the presence of us as witnesses:

- (1) I. D. Reece
(Name) (Address of witness)
- (2) Mrs. I. D. Reece
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Signatures

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 1, 1929.

WITNESS my hand this 1st day of July, 1929.

RHEA LITER

W

STATE ENGINEER

Application No. 12817.....

Permit No. 9115.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-
gon, on the 28th day of June.....
1929, at 1:00 o'clock P.M.

Returned to applicant:

July 1, 1929.

Corrected application received:

July 8, 1929.

Approved:

August 20, 1929.

Recorded in book No. 30 of
Permits on page 9115

RHEA LUTER
STATE ENGINEER

Drainage Basin No. 8 Page 209 d.
Fees Paid \$9.50

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1 cubic feet per second, or its equivalent in case of rotation with other water users, from Spring Branch, tributary of Prairie Creek.

The use to which this water is to be applied is Irrigation.

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 28, 1929.

Actual construction work shall begin on or before August 20, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931.

Complete application of the water to the proposed use shall be made on or before October 1, 1932.

WITNESS my hand this 20th day of August, 1929.

RHEA LUTER.
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.