

75504  
~~75412~~  
 CERTIFICATE NO. ~~8673~~

**\*APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, Arling Tornblad (Name of applicant)  
 of Cherry Grove, County of Washington,  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream)  
 a tributary of Tualatin River Watershed

2. The amount of water which the applicant intends to apply to beneficial use is 0.01  
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic including stock use and irrigation of lawn and garden  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 400 ft. N and 50 ft. E from the SW  
 corner of SE $\frac{1}{2}$ NW $\frac{1}{4}$  (Section or subdivision)  
 (If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{2}$ NW $\frac{1}{4}$  of Sec. 25, Tp. 1 S,  
 (Give smallest legal subdivision) (No. N. or S.)  
 R. 4 W, W. M., in the county of Washington  
 (No. E. or W.)

5. The Pipe line to be 300 feet  
 (Main ditch, canal or pipe line) (No. miles or feet)  
 in length, terminating in the SE $\frac{1}{2}$ NW $\frac{1}{4}$  of Sec. 25, Tp. 1 S,  
 (Smallest legal subdivision) (No. N. or S.)  
 R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.  
 (No. E. or W.)

6. The name of the ditch, canal or other works is

**DESCRIPTION OF WORKS**

DIVERSION WORKS— No dam

7. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
 (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate small tank at spring of 500 or 1000 gallon capacity  
 (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 75.00 to \$100.00
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before Two years " "
- 15. The water will be completely applied to the proposed use on or before .....  
Three years from date of "

Arling Tornblad  
(Name of applicant)  
Cherry Grove, Oregon

Signed in the presence of us as witnesses:

- (1) Stanley Tornblade, Cherry Grove, Oregon  
(Name) (Address of witness)
- (2) C. A. Tornblad, Cherry Grove, Oregon  
(Name) (Address of witness)

Remarks: This spring is now used for stock watering purposes and tank and pipeline will be put in as soon as possible. The spring is located on elevation higher than house barns, gardens etc., so will be a gravity system. This spring is located on property owner by the applicant.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion, map and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 24 1929  
July 26, 1929

WITNESS my hand this 24th day of May, 1929.  
26th June

RHEA LUPER  
N.B. STATE ENGINEER

Application No. 12745.....

Permit No. 9134.....

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. .... District No. ....

This instrument was first received in the  
office of the State Engineer at Salem, Ore-  
gon, on the 22nd day of May  
1929, at 8:00 o'clock A.M.

Returned to applicant:

May 24, 1929; June 26, 1929

Corrected application received:

July 8, 1929

Approved:

August 21, 1929

Recorded in book No. 30 of

Permits on page 9134

R H E A L U P E R

STATE ENGINEER

2-16a \$10.00

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Spring (Tualatin River Watershed)

The use to which this water is to be applied is Domestic including stock use and irrigation of lawn and garden.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 22, 1929

Actual construction work shall begin on or before August 21, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 21st day of August, 1929.

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.