

8469

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank Smith (Name of applicant) of Marshfield (Postoffice), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Un-named Spring (Name of stream), a tributary of Isthmus Slough

2. The amount of water which the applicant intends to apply to beneficial use is one gallon minute cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic use. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1772 ft. S. and 1712 ft. W. from the N.W. corner of Sec. 25 Twp. 26 S. R. 13 W.M. (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NW 1/4 of Sec. 25, Tp. 26 S., R. 13 W., W. M., in the county of Coos (No. E. or W.)

5. The pipe line to be 880 feet in length, terminating in the SE 1/4 of the NW 1/4 of Sec. 25, Tp. 26 S., R. 13 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (No. miles or feet) (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) 4' x 4' x 4' crib sunk in spring

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$... 200.00
- 13. Construction work will begin on or before ... August 1, 1929.
- 14. Construction work will be completed on or before ... Sept. 1, 1929.
- 15. The water will be completely applied to the proposed use on or before
..... Sept 30, 1929.

..... Frank Smith
(Name of applicant)
..... Marshfield, Oregon,
..... RFD. N1. 1, Box 123.

Signed in the presence of us as witnesses:

- (1) James Watson, Coquille, Oregon.
(Name) (Address of witness)
- (2) R. H. Watson Coquille, Oregon.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. ¹²⁸⁷⁴ ~~12784~~
Permit No. 9171

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-
gon, on the 31 day of July
1929, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 20, 1929.
Recorded in book No. 30 of
Permits on page 9171

RHEA LUPER
STATE ENGINEER

Drainage Basin No. 17, Page 407 a.
Fees Paid \$10.00

STATE OF OREGON, }
 } ss.
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.31 cubic feet per second, or its equivalent in case of rotation with other
water users, from Unnamed Spring, tributary of Isthmus Slough.

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to -- of one cubic foot per
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1929.

Actual construction work shall begin on or before August 20, 1930. and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1931.

Complete application of the water to the proposed use shall be made on or before

October 1, 1932.

WITNESS my hand this 20th day of August, 1929.

RHEA LUPER
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment
of annual fees as provided in section 5803, Oregon Laws.