To Appropriate the Public Waters of the State of Oregon

State of Orsgon	I,	Dale M. Haskin (Name of applicant)	
State of	ofH	lood River , County of Hood River	 ,
following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation not a corporation 1. The source of the proposed appropriation is Spring in Southwest corner of Sec. 27, (Name of Stream) 1. The source of the proposed appropriation is Spring in Southwest corner of Sec. 27, TWP, 3 N., R. 10 E., W.M. 2. The amount of water which the applicant intends to apply to beneficial use is One-half cubic feet per second. 3. The use to which the water is to be applied is Domestic supply for residences and au (trigation, power, mining, manufacturing, domestic supplies, etc.) camp, for watering livestock, and for irrigating lawns and cardens. 4. The point of diversion is located Near the southwest corner of said Section 27, (Give distance and bearing to section corner) about 10 fest east of the west boundary of the Section and at the foot of a rock celliff which is very close to the south boundary of the section. being within the SW2 of SW2 (Give smaltest legal subdivision) Fr. 10 E., W. M., in the country of Hood River. (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (No. E. or W.) (Main ditch, canal or pipe line) (No. E. or W.) (Rock, or S.) DIVERSION WORKS— no dam 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Thinber, concrete, stc., number and size of openings)			
If the applicant is a corporation, give date and place of incorporation not a corporation 1. The source of the proposed appropriation is Spring in southwest corner of Sec. 27, (Name of stream) Twp. 3 N., R. 10 E., W.M. , tributary of Golumbia River 2. The amount of water which the applicant intends to apply to beneficial use is Ome-half cubic feet per second. 3. The use to which the water is to be applied is Domestic supply for residences and au (trigation, power, mining, manufacturing, domestic supplies, etc.) camp, for watering livestock, and for irrigating lawns and gardens. 4. The point of diversion is located Near the southwest corner of said Section 27, (Give distance and bearing to section corner) shout 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within the SW1 of SW2 of SW2 of SW2 (Swe mallest legal subdivision) 8. 10 E. (No. E. or W.) 5. The Pipe lines (Main dich, canal or pipe line) miles in length, terminating in the SE2 of SW2 (Smallest legal subdivision) (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system. DESCRIPTION OF WORKS DIVERSION WORKS— no dam 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (the Description of headgate a concrete basin large enough to collect the water (Thinber, concrete, etc., number and size of openings)	·		
not a corporation 1. The source of the proposed appropriation is Spring in southwest corner of Sec. 27. (Name of Stream) 2. The amount of water which the applicant intends to apply to beneficial use is Ome-half cubic feet per second. 3. The use to which the water is to be applied is Domestic supply for residences and au (Irrigation, power, mining, manufacturing domestic supplies, etc.) camp, for watering livestock and for irrigating lawns and gardens. 4. The point of diversion is located Near the southwest corner of said Section 27, about 10 feet east of the west boundary of the Section and at the feet of the section within the series of the south boundary of the Section and at the feet of the section within the SWA Of SWA (Give smallest legal subdivision) being within the SWA Of SWA (Give smallest legal subdivision) being within the SWA Of SWA (Give smallest legal subdivision) being within the SWA Of SWA (Give smallest legal subdivision) being within the SWA (Give smallest legal subdivision) being within the SWA (Give smallest legal subdivision) for Sec. 27 , Tp. 3 N (No. N. or S.) (No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SWA of SWA (No. N. or S.) (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leess rock, concrete, manony, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Thinber, concrete, etc., number and size of openings)			
1. The source of the proposed appropriation is Spring in Southwest corner of Sec. 27, (Name of stream) The source of the proposed appropriation is Spring in Southwest corner of Sec. 27, (Name of stream) The source of the proposed appropriation is Spring in Southwest corner of Sec. 27, (Same of stream) 2. The amount of water which the applicant intends to apply to beneficial use is One-half cubic feet per second. 3. The use to which the water is to be applied is Domestic supply for residences and au (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 9. Samp, for watering livestock and for irrigating lawns and gardens. 4. The point of diversion is located Near the southwest corner of said Section 27, (Sive distance and bearing to section owner) about 10 feet east of the west boundary of the Section and at the foot of a fock ciliff which is very close to the south boundary of the Section and at the foot of a fock ciliff which is very close to the south boundary of the Section and at the foot of a fock ciliff which is very close to the south boundary of the Section and at the foot of a fock ciliff which is very close to the south boundary of the section of sec. 27, Tp. 3 N. (So E or W.) 5. The Pipe lines (Main ditch, canal or pipe line) (No. E. or W.) 5. The Pipe line Section and the section of sec. 27, Tp. 3 N. (No. N. or S.) (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loss rock, concrete, manony, rock and brush, timber or headgate feet a concrete basin large enough to collect the water (Thinber, concrete, etc., number and size of openings)	I_{f}	f the applicant is a corporation, give date and place of incorporation	
Twp. 3 N., R. 10 E., W.M. , tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is		not a corporation	
Twp. 3 N., R. 10 E., W.M. tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is One-half cubic feet per second. 3. The use to which the water is to be applied is Domestic supply for residences and au (Irrisation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located Near the southwest corner of said Section 27. (Give distance and bearing to section corner) about 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within the SW2 of SW2 (Give smallest legal subdivision) (R. 10 E (No. E. or W.)) 5. The Pipa lines (Main dich, canal or pipe line) miles in length, terminating in the SE2 of SW2 (Smallest legal subdivision) of Sec. 27 , Tp. 3 N (No. N. or S.) (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system DESCRIPTION OF WORKS DIVERSION WORKS— 10 DESCRIPTION OF WORKS DIVERSION WORKS— 11 DESCRIPTION OF WORKS DIVERSION WORKS— 12 The strength at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)	1.	The source of the proposed appropriation is Spring in southwest corner of Sec. 27	9
2. The amount of water which the applicant intends to apply to beneficial use is One-half	Twp.		
3. The use to which the water is to be applied is			
Camp, for watering livestock, and for irrigating lawns and gardens. 4. The point of diversion is located Near the sauthwest corner of said Section 27, (Give distance and bearing to section corner) about 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within the SW2 of SW2		cubic feet per second.	
(Give distance and bearing to section corner) about 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within the SW2 of SW2 of SW2 of SW2 (No. N. or S.) R. 10 E (Main ditch, canal or pipe line) miles in length, terminating in the SW2 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) 5. The Pipe lines (Smallest legal subdivision) 6. The name of the ditch, canal or other works is Haskin water system 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate account of the south south of the section of sec of penings)	3.	3. The use to which the water is to be applied is Domestic supply for residences and	.au
4. The point of diversion is located Near the southwest corner of said Section 27. (Give distance and bearing to section corner) about 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within the SW\$\frac{1}{2}\$ of SW\$\frac{1}{2}\$ of Sec. 27, Tp. 3 N (No. N. or S.) Being within the SW\$\frac{1}{2}\$ of SW\$\frac{1}{2}\$ of Sec. 27, Tp. 3 N (No. N. or S.) R. 10.E (No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Mo. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27, Tp. 3 N (No. N. or S.) (Smallest legal subdivision) of Sec. 27		(Irrigation, power, mining, manufacturing, domestic supplies,	etc.)
(Give distance and bearing to section corner) about 10 feet east of the west boundary of the Section and at the foot of a rock cliff which is very close to the south boundary of the section. being within theSW of SW close to the south boundary of the section. being within theSW of SW close to the south boundary of the section. being within theSW of SW close to the south boundary of the section. being within theSW of SW close to the south boundary of the section of Sec 7p 5 N			
cliff which is very close to the south boundary of the section. being within the SW1 of SW1 of SW2 of SW2 of Sw2 of Sec. 27 , Tp. 3 N (No. N. or S.) R. 10 E (No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) to be about one-helf (No. N. or S.) (Smallest legal subdivision) of Sec. 27 , Tp. 3 N (No. N. or S.) (Smallest legal subdivision) R. 10 E (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system DESCRIPTION OF WORKS DIVERSION WORKS— no dam 7. (a) Height of dam feet, length on top feet, length at bottom (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large emough to collect the water (Timber, concrete, etc., number and size of openings)	4.	(Give distance and bearing to section corner)	
being within the SW1 of SW2 (Give smallest legal subdivision) R. 10. E, W. M., in the county of	.about	10 feet east of the west boundary of the Section and at the foot of a rock	
being within the SW1 of SW1 (Give smallest legal subdivision) R. 10 E (No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SB1 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SB2 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) General Sw2 (Smallest legal subdivision) The name of the ditch, canal or other works is Haskin water system DESCRIPTION OF WORKS DIVERSION WORKS— To dem To (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate aconcrete basin large emough to collect the water (Timber, concrete, etc., number and size of openings)	cliff	which is very close to the south boundary of the section.	
being within the SW1 of SW1 (Give smallest legal subdivision) R. 10 E (No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SB1 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SB2 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) General Sw2 (Smallest legal subdivision) The name of the ditch, canal or other works is Haskin water system DESCRIPTION OF WORKS DIVERSION WORKS— To dem To (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate aconcrete basin large emough to collect the water (Timber, concrete, etc., number and size of openings)			
R. 10.E , W. M., in the county ofHood River			
(No. E. or W.) 5. The Pipe lines (Main ditch, canal or pipe line) miles in length, terminating in the SE1 of SW2 (Smallest legal subdivision) R. 10 E (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system DESCRIPTION OF WORKS DIVERSION WORKS— no dem 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)			,
miles in length, terminating in the SE\(\frac{1}{2}\) of SW\(\frac{1}{2}\) of Sec. 27. , Tp. 3 N (No. N. or S.) R. 10.E., W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Haskin water system. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)	(No	lo. E. or W.)	
(Smallest legal subdivision) R. 10 E	5.	. The Pipe lines to be about one-half (Main ditch, canal or pipe line)	
R. 10 E (No. E. or W.) 6. The name of the ditch, canal or other works is Haskin water system. DESCRIPTION OF WORKS DIVERSION WORKS— no dam 7. (a) Height of dam	miles in	length, terminating in the SE1 of SW1 of Sec. 27 , Tp. 3.N.	,
DESCRIPTION OF WORKS DIVERSION WORKS— no dam 7. (a) Height of dam	R. 10 E	E., W. M., the proposed location being shown throughout on the accompanying map.	,
DESCRIPTION OF WORKS DIVERSION WORKS— no dem 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)	(No. 1	E. or W.)	
DESCRIPTION OF WORKS DIVERSION WORKS— no dem 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)	0.		
DIVERSION WORKS— no dem 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)			
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)		DESCRIPTION OF WORKS	
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)	DIVERSIO	on Works— no dem	
(b) Description of headgate a concrete basin large enough to collect the water	7.	r. (a) Height of dam feet, length on top feet, length at bott	tom
(b) Description of headgate a concrete basin large enough to collect the water		feet; material to be used and character of construction	
(b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)			nr y,
(b) Description of headgate a concrete basin large enough to collect the water (Timber, concrete, etc., number and size of openings)		rush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate (Timber, concrete, etc., number and size of openings) and divert at into two pipe lines.		•	
and divert at into two pipe lines.	((Timber, concrete, etc., number and size of openings)	
	and	divert ## into two pipe lines.	

CANAL SYSTEM—

8. (a)) Give dimensions at each point	nt of canal where materially ch	hanged in size, stating miles
from headgat	te. At headgate: width on top	(at water line)	feet; width on botton
	feet; depth of water	feet; grade	feet fall per one
thousand feet	<i>t</i> .		
(b)) At miles from	headgate: width on top (at water	er line)
	feet; width on bottom	feet; depth of i	vater feet
grade	feet fall per one th	ousand feet.	
T	wo pipe lines, one proba	oly 2 inches, and one prob	ably 4 inches large,
running n	orth from the spring to t	the Columbia River Highway	, thence along the
highway e	asterly to the Oregon For	K & Fur Farm about one-hal	f mile east.
FILL	IN THE FOLLOWING INF	ORMATION WHERE THE WA	ATER IS USED FOR
IRRIGATION			
9. The	e land to be irrigated has a tot	al area of	acres, located in each
smallest legal	subdivision, as follows:	(Give area of land in each smallest legal s	
		(Give area of land in each smallest legal s	
	Gardens and lawns	on the Haskin ranch.	
	,		
D 16	(If more spa	ce required, attach separate sheet)	
ŕ	NG, MANUFACTURING, OR TRANS		
		developed	theoretical horsepower.
	Total fall to be utilized		
(c)	The nature of the works by	means of which the power is to	be developed
	~		
		(Legal subdivision)	of Sec
	(No. E. or W.)		
		ny stream?(Yes or No)	
		e point of return	
	, Sec	(No. N. or S.)	, R, W. M.
<i>(g)</i>		be applied is	
(h)	The nature of the mines to b	e served	
		-	

MUNICIPA	AL SUPPLY—							
11.	To supply the city of							
***************************************	County, having a prese	ent population of						
	stimated population ofin	192						
	(Answer questions 12,	13, 14, and 15 in all cases)						
12.	12. Estimated cost of proposed works, \$.2500.00							
13.	Construction work will begin on or bef	oreSeptember 1, 1929						
14.	Construction work will be completed on	or before Three years	***************************************					
15.	The water will be completely applied to	the proposed use on or before	Three years					
<i>D</i> 1	uplicate maps of the proposed ditch or ot	her works, prepared in accord	ance with the rules of					
the State	Engineer, accompany this application.							
		Dale M. Haskin (Name of appl	lcant)					
Si	gned in the presence of us as witnesses:							
(1)G	Heorge R. Wilbur	Hood River, Orego						
(2)B	Sessie W. Weber (Name)	11 4 71						
$R\epsilon$	emarks:	·	•					
	$\left. egin{array}{c} OF \ OREGON, \ ty \ of \ Marion, \end{array} ight\} ss.$	······································	-					
T	his is to certify that I have examined the	foregoing application, together	with the accompanying					
	d data, and return the same for correction Map							
In	order to retain its priority, this apple	ication must be returned to th	e State Engineer, with					
	ms on or beforeJuly 25		•					
W	VITNESS my hand this 25th day	y of June	, 192					
		Rhee Lape	r W STATE ENGINEER					

£.,

Application No. 12801

Permit No. 9191

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No	Dist	rict No		
			st received in the er at Salem, Or		•
	gon, on the 22n	d day of	June	·· ,	
	192 9 , at8	iQQ o'clock			
	Returned to ap	plicant for c	orrection:	_	
	June	25, 1929			
	$Corrected \ appl$	ication rece	lved:		
	July	5, 1929			
	Approved:				
	Sep ten	nber 26, 1	929	···	
	Recorded in	book No	30	of ·	
	Permit on page	9191			
	RH	EA LUP	ER	•••	
	4 p. 70 f. \$10.00		STATE ENGINEER		
STATE OF OREGON,					
County of Marion,	'•				
This is to certify the subject to the following lim to one-eightieth of one cubic ject to such reasonable rota	itations and cond c foot per second,	itions: If fo or its equiva	r irrigation, thi alent, for each a	s appropriation cre irrigated, a	shall be limited nd shall be sub-
•	erein granted	-			
a Spring in the sou					
domestic supply for	residences a	nd auto ca	mp, for water	ing livestoc	k and for
irrigating lawn and	i garden.				
The amount of water	r appropriated sh	nall be limite	ed to the amoun	t which can be	applied to bene-
ficial use and not to exceed	0.1		cubic feet per s	econd, or its eg	uivalent in case
of rotation. The priority da					
Actual construction	_				
thereafter be prosecuted wi			e completed on o	r before	
October 1, 1931					
Complete application October 1, 1932			d use shall be ma	ide on or before	
WITNESS my hand			September		, 192 9
				RHEALU	PER
Permits for power developmen	at are subject to the li			S	PATE ENGINEER.

of annual fees as provided in section 5803, Oregon Laws.