

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Leo D. Cook (Name of applicant)
of 453 E. 32 St., N. Portland (Postoffice), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is An Unnamed Spring Stream entering into (Name of stream)
Brightwood Creek, a tributary of Sandy River at Brightwood
- The amount of water which the applicant intends to apply to beneficial use is 1/100
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 10 ft. S and 90 ft. W from the NE
corner of West half of Southeast Quarter of Southeast Quarter of Section 24, T. (Section or subdivision)
2 S., R. 6 E., W.M. (If preferable, give distance and bearing to Sec. Cor.)
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 24, Tp. 2 S,
R. 6 E, W. M., in the county of Clackamas
5. The Pipe line (Main ditch, canal or pipe line) to be about 250 feet (No. miles or feet)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 24, Tp. 2 S,
R. 6 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam about two feet, length on top five feet, length at bottom
five feet; material to be used and character of construction Wooden, probably large barrel (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 30.00
- 13. Construction work will begin on or before Aug. 1, 1929
- 14. Construction work will be completed on or before Sept. 1, 1929
- 15. The water will be completely applied to the proposed use on or before Sept. 1, 1929

Lee D. Cook
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Wm. L. Borthwick, 1563 Stanton Street
(Name) (Address of witness)
- (2) Mabel I. Lester, Multnomah, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Map and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 16, 1929.

WITNESS my hand this 16 day of August, 1929.

RHEA LUPER
STATE ENGINEER

H

Application No. 12827

Permit No. 9192

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-
gon, on the 2nd day of July,
1929, at 8:00 o'clock A. M.

Returned to applicant:

August 16, 1929

Corrected application received:

September 12, 1929

Approved:

September 26, 1929

Recorded in book No. 30 of
Permits on page 9192

R H E A L U P E R

STATE ENGINEER

3 p. 61 a
\$10.00

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other water users, from An Unnamed Spring Stream tributary of Brightwood Creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 2, 1929

Actual construction work shall begin on or before September 26, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931
Extended to Oct. 1, 1932
Extended to Oct. 1, 1933
Extended to Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before October 1, 1932
Extended to Oct. 1, 1933
Extended to Oct. 1, 1934

WITNESS my hand this 26th day of September, 1929

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.