J 506

To Appropriate the Public Waters of the State of Oregon

CERTIFICATE NO. 9856

I,	B. T. Bexter (Name of applicant)						
ı f	Mulino (Name of applicant) County of Clackamas						
	Mulino , County of Clackamas ,						
State of	Oregon , do hereby make application for a permit to appropriate the						
cllowing	described public waters of the State of Oregon, subject to existing rights:						
If	the applicant is a corporation, give date and place of incorporation						
1.	The source of the proposed appropriation is A Spring and Spring Stream (Name of stream)						
	, tributary of Molalla River						
2.	The amount of water which the applicant intends to apply to beneficial use is						
	cubic feet per second.						
3.	The use to which the water is to be applied isIrrigation and Domestic supplies						
4.	The point of diversion is located near the north line of Section 16 in the NW4 (Give distance and bearing to section corner)						
ofSec.	16, T. 4.S., R. 1.E. of the W.M. No. 2 approx. 500 ft. south and 500 ft.						
	NE corner Sec. 17.						
	No. 1. $NW_{\overline{a}}^{1}NW_{\overline{a}}^{1}$ 16						
eing wit	No. 1. $NW_{1}^{1}NW_{2}^{1}$ thin the No. 1. $NU_{2}^{1}NU_{2}^{1}$ No. 1. $NU_{2}^{1}NU_{$						
2. 1.E	E. or W.)						
	The Pipe line to be several hundred feet.						
niloo in l	(Materialize desagger National)						
	ength, terminating in the NEINE of Sec. 17, Tp. 4 S of (Smallest legal subdivision)						
?. 1 E (No. E.	, W. M., the proposed location being shown throughout on the accompanying map.						
6.	The name of the ditch, canal or other works is						
	DESCRIPTION OF WORKS						
DIVERSION	WORKS- In Section 16						
7.	(a) Height of dam 3 feet, length on top 10 feet, length at bottom						
4	feet; material to be used and character of construction loose rock and dirt						
	(Loose rock, concrete, masonry,						
	sh, timber crib, etc., wasteway over or around dam)						
ock and brus							
	Description of headgate Timber.						
(b)) Description of headgate Timber. (Timber, concrete, etc., number and size of openings) Section 17 - a concrete box will be used at spring.						

9193(a)

Section 16 - a 3 or 4 inch iron or steel pipe will be used, it will be about 5 tong from the dam at lower end ditches will be used to distribute the water.

8. (a) Give dimensions at each point of canal where materially changed in size, stating	miles
from headgate. At headgate: width on top (at water line) feet; width on bo	tton
feet; depth of water feet; grade feet fall per	r one
thousand feet.	
(b) At miles from headgate; width on top (at water line)	
feet; width on bottom feet; depth of water	feet,
grade feet fall per one thousand feet.	
A pipe line has been constructed from the spring in Section 17 to th	е
house. Applicant may install a new 1 inch pipe line in lieu of present pipe.	
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR	
IRRIGATION	
9. The land to be irrigated has a total area of 10 acres, located in	each
smallest legal subdivision, as follows:	igate)
10 acres in NaNWanwa, Sec. 16, Twp. 4 S., R. 2 E., W.M.	
(If more space required, attach separate sheet)	
Power, Mining, Manufacturing, or Transportation Purposes—	
10. (a) Total amount of power to be developed theoretical horsepo	wer.
(b) Total fall to be utilized feet.	
(c) The nature of the works by means of which the power is to be developed	
(d) Such works to be located in	
Tp, R, W. M. (No. N. or S.)	
(e) Is water to be returned to any stream?(Yes or No)	
(f) If so, name stream and locate point of return	•••••
, Sec, Tp, R, W. (No. E. or W.)	⁷ . М.
(g) The use to which power is to be applied is	•
(h) The nature of the mines to be served	

MUNICIP	PAL SUPPLY								
11.	. To supply the city of								
	(Name of) County, having a present	population of							
and an e	estimated population ofin 19	2							
	(Answer questions 12, 13, 1	4, and 15 in all cases)							
12.	12. Estimated cost of proposed works, \$ 100.00 13. Construction work will begin on or beforeJune 1, 1930.								
14. Construction work will be completed on or beforeDec. 1, 1930									
	5. The water will be completely applied: to the								
D	Ouplicate maps of the proposed ditch or other	works, prepared in accordance with the rules of							
the State	te Engineer, accompany this application.								
	••	B. T. Baxter (Name of applicant)							
	-	Mulino, Oregon.							
Ç,	Signed in the presence of us as witnesses:								
	·	Oregon City, Oregon.							
(1)		(Address of Witness)							
(2)	(Name)	(Address of witness)							
R	Remarks:	······							
STATE Coun	$\left. egin{array}{l} OF \ OREGON, \\ nty \ of \ Marion, \end{array} ight\} ss.$								
T	This is to certify that I have examined the for	egoing application, together with the accompanying							
		completion, as follows:							
	Completion and correction	n .							
/************	<u> </u>								
In	In order to retain its priority, this applicat	ion must be returned to the State Engineer, with							
correction	ions on or before September 2nd September 10th, 1929	, 192 <u>9</u>							
	WITNESS my hand this31st day of	July , 192.9							
	28th of August	, 1929							
	•	STATE ENGINEER							

	Applica	tion No	12850	
	Permit	No. 91	93	
	TO APPR WATE	PERM OPRIATE T ORS OF TH OF OREGO		_
	Division No	Dis	trict No	-
	This instri	ment was fi State Engine	irst received in the eer at Salem, Or	re e
,	gon, on the 12	th day of .	July	· · · · · · · · · · · · · · · · · · ·
	192 9 , at 8	00 o'cloci	k A• M.	,
*	Returned to a	pplicant for	correction:	
	July 31	, 1929; A	ıgust 28, 1929	
	Corrected app	lication rece	eived:	
	August	29, 1929;	September 3,	1929
	Approved:		,	
	Septemi	er 26, 19	29	
	$Recorded \ i$	n book No	30	of
	Permit on pag	je 919	3	
••	RHI	A LU.P.	ER STATE ENGINEER	
STATE OF OREGON,	2 p. 30 t \$14.50	ı.	21-1-2	
County of Marion, \int_{0}^{∞}	s.			
subject to the following lim to one-eightieth of one cubi	nitations and con- c foot per second	ditions: If f , or its equiv	or irrigation, thi valent, for each a	and do hereby grant the same, s appropriation shall be limited acre irrigated, and shall be substate officer
The right	herein grante	l is limit	ted to the app	propriation of water from
A Spring and Spring	Stream for i	rigation	and domestic p	ourposes. (0.05 second foot
				from Stream for irrigation.)
The amount of wate	er appropriated s	hall be limit	ed to the amoun	t which can be applied to bene-
ficial use and not to exceed	0.18		cubic feet per s	econd, or its equivalent in case
of rotation. The priority da	ate of this permit	is July	12, 1929	
Actual construction	work shall begin	on or befor	e September 2	26, 1930 and shall
	ded to Oct 1 1899		oe completed on o	or before
			ed use shall be ma	ade on or before
October 1, 1932				
			September	, 192. 9
		_		RHEALUPER STATE ENGINEER.
Permits for power developme of annual fees as provided in section	nt are subject to the l on 5803, Oregon Laws.	lmitation of fran	chise as provided in s	ection 5728, Oregon Laws, and the payment