

CERTIFICATE NO. 9247

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Otto J. Hoak (Name of applicant)
of Portland (Postoffice), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Water Course in NE 1/4, Sec. 8
(Name of stream)
Twp. 3 S., R. 7 E., W.M., a tributary of Salmon River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic purposes
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1406 ft. S and 640 ft. W from the NE
(N. or S.) (E. or W.)
corner of Sec. 8, Twp. 3 S., R. 7 E., W.M.
(Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 8, Tp. 3 S,
(Give smallest legal subdivision) (No. N. or S.)
R. 7 E, W. M., in the county of Clackamas, Oregon.

5. The pipe line to be 520 ft.
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the NE 1/4 of NE 1/4 of Sec. 8, Tp. 3 S,
(Smallest legal subdivision) (No. N. or S.)
R. 7 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Hoak's Pipe Line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2 feet, length on top 3 feet, length at bottom
2 feet; material to be used and character of construction Rock
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

Otto J. Hoak
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Walter G. Dacksel 70 E. 20 St., N. Portland, Oregon.
(Name) (Address of witness)
- (2) G. L. Kramer 740 E. 68th St., N.
(Name) (Address of witness)

Remarks:

This is to supply water for purely domestic use. Stream disappears
before reaching river.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 12995

Permit No. 9277

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of Sept., 1929, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

November 6, 1930

Recorded in book No. 31 of Permits on page 9277

R H E A L U P E R

3 p. 63

STATE ENGINEER

\$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Water Course in NE 1/4, Sec. 8, Twp. 3 S., R. 7 E., W.M.

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1929

Actual construction work shall begin on or before November 6, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1931

Complete application of the water to the proposed use shall be made on or before October 1, 1932

WITNESS my hand this 6th day of November, 1929

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.