

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Guy C. Coon
 (Name of applicant)
 of Portland 856 Wasco, County of Multnomah,
 (Postoffice)
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

Individual

1. The source of the proposed appropriation is "Rowell Creek"
 (Name of stream)
, a tributary of Gooseneck (Mill Crk. trib. of Yamhill)

2. The amount of water which the applicant intends to apply to beneficial use is 7
 cubic feet per second.
 (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation, domestic use
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1200 ft. N and ft. from the SE
 (N. or S.) (E. or W.)
 corner of Section 36, T. 6 S., R. 7 W., W. M.
 (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE¹₄ of the SE¹₄ of Sec. 36, Tp. 6 S,
 (Give smallest legal subdivision) (No. N. or S.)
 R. 7 W, W. M., in the county of Polk
 (No. E. or W.)

5. The ditch and flume to be 900 feet
 (Main ditch, canal or pipe line) (No. miles or feet)
 in length, terminating in the NE¹₄ of the SW¹₄ of Sec. 31, Tp. 6 S,
 (Smallest legal subdivision) (No. N. or S.)
 R. 6 W, W. M., the proposed location being shown throughout on the accompanying map.
 (No. E. or W.)

6. The name of the ditch, canal or other works is No name

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 6 feet, length on top 25 feet, length at bottom
18 feet; material to be used and character of construction Timber crib and
loose rock
 (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of about 30 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
6 S	6 W	31	N 1/4 SW 1/4	30

(If more space required, attach separate sheet)

(a) Character of soil red shot

(b) Kind of crops raised grain, hay and vegetables

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

12. Estimated cost of proposed works, \$ 350.00
13. Construction work will begin on or before June 15, 1930
14. Construction work will be completed on or before June 15, 1931
15. The water will be completely applied to the proposed use on or before June 15, 1932

Guy C. Coon

(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Hugh Mendenhall, 935 Commercial S.E. Portland
(Name) (Address of witness)
(2) Maude E. Fahey, 417 Cham of Com. Bldg., Portland
(Name) (Address of witness)

Remarks: Water to be used for domestic purposes and irrigation

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13004

Permit No. 9282

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

*This instrument was first received in the
office of the State Engineer at Salem, Ore-*

gon, on the 20th day of Sept.

1929, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 6, 1929

Recorded in book No. 31 of

Permits on page 9282

R H E A L U P E R

STATE ENGINEER

2 p. 51 c.

\$14.50

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.43 cubic feet per second, or its equivalent in case of rotation with other water users, from "Rowell Creek"

The use to which this water is to be applied is Irrigation and domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 20, 1929

Actual construction work shall begin on or before November 6, 1930 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1931 Extended to Oct. 1, 1932
Extended to Oct. 1, 1933
Extended to Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before

October 1, 1932 Extended to Oct. 1, 1933
Extended to Oct. 1, 1934

WITNESS my hand this 6th day of November, 1929.

R H E A L U P E R

STATE ENGINEER.