*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Lucy M. Bailey and Fred E. Bailey (Name of applicant)
of313	3 E. 3rd St., North , County of Multnomah ,
	Oregon do hereby make application for a permit to appropriate the
	described public waters of the State of Oregon, subject to existing rights:
If th	he applicant is a corporation, give date and place of incorporation

1. 7	The source of the proposed appropriation is Spring (no name) (Name of stream)
***************************************	, a tributary of Sandy River
2. 2	The amount of water which the applicant intends to apply to beneficial use is1/2
cubic feet	per second.
-	(If water is to be used from more than one source, give quantity from each)
3. 1	The use to which the water is to be applied isOmestic supplies(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4.	The point of diversion is located 300 ft. S and 2160 ft. W. from the 1/4
	Section 55 and 34, T. 2 S., R. 7 E. (Section or subdivision)
***************************************	(If preferable, give distance and bearing to Sec. Cor.)
	(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)
being with	hin the $\frac{N_{2}^{1}}{2}$ of $\frac{N_{2}^{1}}{2}$ of $\frac{1}{2}$ of $\frac{1}{$
R 7 E	, W. M., in the county of Clackanas
,	The Pipe (Galvonize $l_2^{\frac{1}{2}}$ in) to be 1,000 ft.
in length.	(Main ditch, canal or pipe line) (No. miles or feet) terminating in the $\frac{S_{2}^{+}}{S_{2}^{+}}$ of $\frac{S_{2}^{+}}{S_{2}^{+}}$ of $\frac{S_{2}^{+}}{S_{2}^{+}}$ of $\frac{S_{2}^{+}}{S_{2}^{+}}$ of $\frac{S_{2}^{+}}{S_{2}^{+}}$ (No. N. or S.)
p 7 E	(Smallest legal subdivision) (No. N. or S.)
(210	W. M., the proposed location being shown throughout on the accompanying map.
6. 2	The name of the ditch, canal or other works isNameless
	DESCRIPTION OF WORKS
DIVERSION	Works—
	(a) Height of dam feet, le ngth on top feet, length at bottom
	feet; material to be used and charact er of construction
	(Loose rock, concrete, masonry
cock and brush	h, timber crib, etc., wasteway over or around dam)
<i>(b)</i>	Description of headgateTimber diversion box.
ζ- /	(Timber, concrete, etc., number and size of openings)

ı	CANAL.	SYSTEM	ΛP	DIDE	T.INE
J	LANAL	OISILIN	UK.	PIPE:	I II IN PA

				vater line)		
thousand feet		, water		feet; grade		Jeet jan per one
(b) A	t	miles	from headg	ate: width on top (d	t water line)	
	feet; wid	lth on bott	om	feet; dep	th of water	feet;
grade	fe	et fall per	one thousan	d feet.		
(c) L	ength of pipe,	1,000	ft.; s	rize at intake, 1½ t	hroughoutin.; size	e a t
ft. from intal	ke	in.; size	e at place of	' use	in.; difference in	elevation between
$intake \ and \ pl$	ace of use,	50	ft. Is	građe uniform?	E	stimated capacity,
	•		•			
		LLOWIN	G INFORM	ATION WHERE TI	HE WATER IS U	SED FOR
Irrigation—						
9. The	e land to be irr	rigated ha	s a total are	a of	acr	es, located in each
$smallest\ legal$	subdivision, a	s follows:				114
	Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated	_
) 			,	
			,			m #**
						•••
			\			
		(If r	<u> </u>	ired, attach separate sheet)		·
(a) C	haracter of so	il				
(b) K	and of crops r	aised				·····
	NING PURPOSES					
10. (a)) Total amoun	it of powe	r to be deve	loped	theor	etical horsepower.
(b)) Quantity of	water to b	e used for p	oower	8	sec. ft.
				feet.		
(d)) The nature	of the wor	rks by mean	s of which the powe	r is to be develope	ed
				(Legal subdivision	of Se	ec,
	N. or S.)					
(<i>f</i>)) Is water to	be returne	ed to any st	ream?(Yes or No)		
				nt of return		
		S	lec	, Tp	, R	, W. M.
		·····, &		(No.	N. or S.) (N	o E. or W.)

Mun	NICIPAL SUPPLY—		
	11. To supply the city of	······································	······
	(Name of) County, having a present	population of	
and	an estimated population of in 19	92	
	(Answer questions 12, 13,	14, and 15 in all cases)	
	12. Estimated cost of proposed works, \$	······································	
	13. Construction work will begin on or before		
	14. Construction work will be completed on or	before	······································
	15. The water will be completely applied to the	proposed use on or before	
			•••••
		Lucy M. Bailey	
		Lucy M. Bailey (Name of applicant)	· · · · · · · · ·
		Fred E. Bailey	
		······	
	Signed in the presence of us as witnesses:		
(1)	Ralph Wilson (Name)	(Address of witness)	
(2)	Lincoln Leitzke		
	,	(Address of Withess)	
		·	
			•••••
			•••••
			•••••
STA	TE OF OREGON,		
(County of Marion,		
	This is to certify that I have examined the for	regoing application, together with the accompan	ıying
map	s and data, and return the same for		
	Signature, Fees and description o	f pipe	
	In order to retain its priority, this applicat	tion must be returned to the State Engineer,	with
corr	ections on or before November 22nd	, 192	
	WITNESS my hand this22nd day of	October , 192 9	
		RHEA LUPER	
		h STATE ENGINE	ER

Application	No.	13081

Permit No. 9329

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

WITNESS my hand	this 6th day of November	•
October 1 1939	of the water to the proposed use shall be made on or be	efore
October 1, 1931		
	th reasonable diligence and be completed on or before	
	work shall begin on or before November 6, 1930	
	this permit is October 19, 1929	,
as may be ordered by the p		
	each acre irrigated and shall be subject to such reason	
If for irrigation, this	appropriation shall be limited to	
The use to which this	s water is to be applied isomestic	
•	Spring, tributary of Sandy River	
	cubic feet per second, or its equivalent in case o	f rotation with other
	nted is limited to the amount of water which can be app	
subject to the following lim	itations and conditions:	
	t I have examined the foregoing application and do he	reby grant the same,
County of Marion, S ss		
STATE OF OREGON,	\$10.00 PERMIT	
	3 p. 61 a.	
· ·	RHEALUPER STATE ENGINEER	
	Permits on page9.3.2.9	
	Recorded in book No31 of	
	November 6, 1929	
	Approved:	
	October 26, 1929	
	Corrected application received:	
	October 22, 1929	
	Returned to applicant:	
	1929 at 8:00 o'clock A. M.	
	gon, on the 19th day of Oct.	
	This instrument was first received in the office of the State Engineer at Salem, Ore-	
	Division No District No	