

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, F. W. Alt (Name of applicant)
of 1118 Mallory Ave., Portland, County of Multnomah,
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Side Boulder Creek
(Name of stream)
, a tributary of Sandy River

2. The amount of water which the applicant intends to apply to beneficial use is 0.5
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of N.88°32'E.1372 ft. from W $\frac{1}{4}$ cor. Sec. 24
(Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 24, Tp. 2 S
(Give smallest legal subdivision) (No. N. or S.)

R. 6 E, W. M., in the county of Clackamas
(No. E. or W.)

5. The pipe line to be 3/4 mi.
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 23, Tp. 2 S
(Smallest legal subdivision) (No. N. or S.)

R. 6 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Salmon River park pipe line.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 8 feet, length at bottom
6 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of Salmon River Park
Clackamas County, having a present population of 50
(Name of) and an estimated population of 100 in 19230

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 3,000.00
13. Construction work will begin on or before Oct. 1, 1930
14. Construction work will be completed on or before Oct. 1, 1931
15. The water will be completely applied to the proposed use on or before Oct. 1, 1932

F. W. Alt (Name of applicant)

Signed in the presence of us as witnesses:

- (1) Max F. Rogers (Name) (Address of witness)
(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Description of pipe line. Will use about 2000 ft. of 3" Gates Hillsboro pipe from point of diversion to Salmon River Park and about 2,500 feet of 1 1/2 inch pipe in Salmon River Park

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 5, 1930, 192

WITNESS my hand this 4th day of December, 1929

R H E A L U P E R
STATE ENGINEER

Application No. 13096

Permit No. 9381

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October, 1929, at 11:00 o'clock A.M.

Returned to applicant:

December 4, 1929

Corrected application received:

December 9, 1929

Approved:

January 15, 1930

Recorded in book No. 31 of Permits on page 9381

RHEA LUPER

STATE ENGINEER

3 p. 61 a.

\$10.00

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from North Side Boulder Creek, tributary of Sandy River

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 25, 1929

Actual construction work shall begin on or before January 15, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 15th day of January, 1930.

RHEA LUPER

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.