

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, N. P. Nelson (Name of applicant) of Route #1, Newberg (Postoffice), County of Yamhill, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring, tributary of Chehalem Creek Watershed, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second.

3. The use to which the water is to be applied is Domestic and development of 1 theoretical horsepower.

4. The point of diversion is located 100 ft. S and 100 ft. W from the NE corner of NW 1/4 SE 1/4

(If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 34, Tp. 2 S

R. 3 W, W. M., in the county of Yamhill No. 1 pipe line (Power and Domestic) 1400 ft.

5. The No. 2 pipe line (Domestic) to be 1 3/4 miles in length, terminating in the SW 1/4 SE 1/4 of Sec. 34, Tp. 2 S

R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1500
- 13. Construction work will begin on or before ⁴already begun
- 14. Construction work will be completed on or before 2 years from date of approval
- 15. The water will be completely applied to the proposed use on or before Three years

N. P. Nelson
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley, Salem
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: The two inch pipe line for power and domestic purposes is already
constructed and in operation. This power plant operates under a head of 165
feet. The one inch or the one and a half inch pipe line will furnish water for
~~three dwellings and will utilize a total head of approx. 350 feet.~~
The spring described is on the property of the applicant.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13156

Permit No. 9403

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of Nov.

1929, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 15, 1930

Recorded in book No. 51 of Permits on page 9403

R H E A L U P E R STATE ENGINEER

2 p. 45 p.

\$10.25

STATE OF OREGON, } ss. County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Spring, tributary of Chehalem Creek Watershed

The use to which this water is to be applied is Domestic and development of 1 theoretical Horsepower

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 26, 1929

Actual construction work shall begin on or before January 15, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 15th day of January, 1930

R H E A L U P E R STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.