

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Sara Robbins (Name of applicant) of Broadbent, Coos County, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is A Spring (Name of stream), a tributary of none

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 870 ft. S and 85°30' ft. E from the NW 1/4 corner of Sec. 4, T. 30 S., R. 12 W. W. M. (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 4, Tp. 30 S, R. 12 W, W. M., in the county of Coos (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The Pipe line to be 1050 feet (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the SW 1/4 NW 1/4 and NW 1/4 SW 1/4 of Sec. 4, Tp. 30 S, R. 12 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is Sara Robbins Domestic Service pipe line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Reinforced Concrete Basin 10' x 20' x 20' (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1" pipe feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet. Total fall about 120.00 feet

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 1053 ft.; size at intake, 1" in.; size at _____ ft. from intake _____ in.; size at place of use 1" in.; difference in elevation between intake and place of use, 120.0 ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of _____ acres, located in each smallest legal subdivision, as follows: _____

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil _____
 (b) Kind of crops raised _____

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed _____ theoretical horsepower.
 (b) Quantity of water to be used for power _____ sec. ft.
 (c) Total fall to be utilized _____ feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,
 (Legal subdivision)
 Tp. _____, R. _____, W. M.

(f) Is water to be returned to any stream? _____
 (Yes or No)

(g) If so, name stream and locate point of return _____
 _____, Sec. _____, Tp. _____, R. _____, W. M.
 (No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1200.00
- 13. Construction work will begin on or before Has begun
- 14. Construction work will be completed on or before Jan. 1st, 1931
- 15. The water will be completely applied to the proposed use on or before Jan. 1, 1931

Sara Robbins
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) J. P. Eviden, Broadbent, Ore.
(Name) (Address of witness)
- (2) E. L. Bell, Broadbent, Ore.
(Name) (Address of witness)

Remarks: A concrete tank 10' x 20' x 20' is being built at Spring at
present date.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER

Application No. 13184

Permit No. 9435

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 11th day of Dec.

1929, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

February 10, 1930

Recorded in book No. 31 of

Permits on page 9435

R. H. E. A. L. J. P. E. R. STATE ENGINEER

17 p. 401 e \$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second, or its equivalent in case of rotation with other water users, from Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 11, 1929

Actual construction work shall begin on or before February 10, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 10th day of February, 1930, 1929

RHEA LUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.