

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, T.M. Stover (Name of applicant)
of Myrtle Point (Postoffice), County of Coos,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is Mill Creek (Name of stream),
a tributary of The Middle Fork of the Coquille River
- The amount of water which the applicant intends to apply to beneficial use is 0.04
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 240.0' N 5°10' E ft. and NE ft. from the 1/16
corner of SW 1/4, Sec. 23, T. 29 S., R. 12 W., W.M. (N. or S.) (E. or W.)
(Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 23, Tp. 29 S,
(No. N. or S.)
R. 12 W, W. M., in the county of Coos Oregon.
(No. E. or W.)
5. The pipe line to be 2850.0' feet
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 22, Tp. 29 S,
(No. N. or S.)
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)
6. The name of the ditch, canal or other works is The sugar loaf pipe line

DESCRIPTION OF WORKS

DIVERSION WORKS—

- (a) Height of dam 4.0 feet, length on top 15.0' feet, length at bottom 5.0' feet; material to be used and character of construction Concrete
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate Pipe set in Concrete Dam
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 350.00
- 13. Construction work will begin on or before Oct. 1930
- 14. Construction work will be completed on or before Oct. 1931
- 15. The water will be completely applied to the proposed use on or before
October 1931

T.M. Stover
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) W.E. Bosserman Coquille, Oregon
(Name) (Address of witness)
- (2) Julia Hamblock Bandon, Oregon
(Name) (Address of witness)

Remarks:

This filing is made, subject to the priority of Number 2346 dated April 11, 1917
of 0.20 cu. ft. out of 2 springs at the head of Mill Creek and is to use some of the
excess water flowing in said stream.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 15334

Permit No. 9566

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-
gon, on the 20th day of March
1930, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 21, 1930

Recorded in book No. 32 of
Permits on page 9566

R. H. E. A. L. U. P. E. R.
STATE ENGINEER

17 p 401 f
\$10.00

STATE OF OREGON,
County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.04 cubic feet per second, or its equivalent in case of rotation with other
water users, from Mill Creek, tributary of Middle Fork of Coquille River

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1930

Actual construction work shall begin on or before April 21, 1931 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1932 Extended to Oct. 1, 1933

Complete application of the water to the proposed use shall be made on or before
October 1, 1933

WITNESS my hand this 21st day of April, 192.30.

R. H. E. A. L. U. P. E. R.
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment
of annual fees as provided in section 5303, Oregon Laws.