

# To Appropriate the Public Waters of the State of Oregon

1/2 We, Clay Ulam and Ruby Ulam  
(Name of applicant)  
of Milo, County of Douglas,  
(Postoffice)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lick Creek  
(Name of stream)  
tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125  
cubic feet per second.

3. The use to which the water is to be applied is Domestic supplies  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 4.31 chains W. and 25.24 chains S. from the  
(Give distance and bearing to section corner)  
1/4 Sec. Cor. between Secs. 26 and 35, Twp. 30 S., R. 3 W., W.M.

being within the SE 1/4 of NW 1/4 of Sec. 35, Tp. 30 S,  
(Give smallest legal subdivision) (No. N. or S.)  
R. 3 W, W. M., in the county of Douglas  
(No. E. or W.)

5. The 3" pipe line to be 2888 feet  
(Main ditch, canal or pipe line)  
miles in length, terminating in the SE 1/4 of SW 1/4 of Sec. 26, Tp. 30 S,  
(Smallest legal subdivision) (No. N. or S.)  
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.  
(No. E. or W.)

6. The name of the ditch, canal or other works is Ulam Domestic Water Supply

## DESCRIPTION OF WORKS

### DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 8 feet, length at bottom  
6 feet; material to be used and character of construction rock and dirt  
(Loose rock, concrete, masonry,  
Wasteway over.  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber. 1 opening 3"  
(Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: .....

(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. ...., Tp. ...., R. ...., W. M. (Legal subdivision) (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return ..... Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 192\_\_\_\_\_.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1100.00
- 13. Construction work will begin on or before now
- 14. Construction work will be completed on or before now
- 15. The water will be completely applied to the proposed use on or before now

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

Clay Ulam  
(Name of applicant)

Ruby Ulam

Signed in the presence of us as witnesses:

- |     |                      |                        |
|-----|----------------------|------------------------|
| (1) | <u>Max W. Kimmel</u> | <u>Riddle, Oregon.</u> |
|     | (Name)               | (Address of witness)   |
| (2) | <u>Murle Marcum</u>  | <u>" "</u>             |
|     | (Name)               | (Address of witness)   |

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 192\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 192\_\_\_\_\_.

STATE ENGINEER

Application No. 13354

Permit No. 9582

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of March 1923, at 8:00 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

April 21, 1930

Recorded in book No. 32 of Permit on page 9582

RHEALUPER

STATE ENGINEER

16 p. 396 e. \$10.00

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The right herein granted is limited to the appropriation of water from Lick Creek, tributary of South Umpqua River for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.01 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is March 29, 1930

Actual construction work shall begin on or before April 21, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 21st day of April, 1923.

RHEALUPER

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.