

13445

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Dr. F. B. Freeland (Name of applicant) of 253 Medical Arts Building, Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kahnetta Hot Springs, tributary of Warm Springs River, a tributary of Deschutes River

2. The amount of water which the applicant intends to apply to beneficial use is 0.6 cubic feet per second.

3. The use to which the water is to be applied is Irrigation, swimming pool, baths Commercial sale, heating and domestic.

4. The point of diversion is located 100 ft. S and 100 ft. W from the NE corner of NW 1/4 SE 1/4, Sec. 20. Several other diversions will be made at springs the locations of which are approximately shown on the accompanying map.

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the S 1/2 SW 1/4 NE 1/4 & NW 1/4 SE 1/4 & NW 1/4 NE 1/4 SE 1/4 of Sec. 20, Tp. 8 S

R. 13 E, W. M., in the county of Wasco

5. The See Remarks to be in length, terminating in the S 1/2 SW 1/4 NE 1/4 of Sec. 20, Tp. 8 S

R. 13 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 45 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
8 S	15 E	20	S $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$	15
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	30

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

....., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before Two years
- 15. The water will be completely applied to the proposed use on or before Three years.

F. B. Freeland, M. D.

(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley Salem
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: It is proposed to install a pump at or near the site of the main spring near the N E corner of the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 20 to raise water into a reservoir from which it is to be distributed through pipe lines for use in bath houses and other purposes and also to supply the ditch which will be used to distribute water for irrigation. Several small pipe lines will probably be installed to lead from the various springs to individual houses. The size, length and grade of these various pipe lines have not yet been determined. All water will be used in the S $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ of said Section 20 and the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20.

Although this land is within the boundaries of the Warm Springs Indian Reservation, a sale of the lands described has been approved by the Department of Interior as evidenced by a letter dated March 18, 1930 from C. J. Rhoads, Commissioner of Indian Affairs to the Secretary of the Interior. The letter bears an endorsement dated March 19, 1930 signed by Joseph M. Dixon, First Assistant Secretary of the Interior approving the sale and requesting the Commissioner of the General Land Office to issue a patent in fee to F. B. Freeland.

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13360
Permit No. 9602

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of April, 1930, at 2:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 16, 1930

Recorded in book No. 32 of Permits on page 9602

R H E A L U P E R

STATE ENGINEER

5 p. 121
\$16.75

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.6 cubic feet per second, or its equivalent in case of rotation with other water users, from Kahneta Hot Springs, tributary of Warm Springs River.

The use to which this water is to be applied is Irrigation, swimming pool, baths, commercial sale, heating and domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 3, 1930

Actual construction work shall begin on or before June 16, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1932
Complete application of the water to the proposed use shall be made on or before

October 1, 1933

WITNESS my hand this 16th day of June, 1930.

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.