

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Amelia A. Nelson (Name of applicant) of Norway (Postoffice), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Two Unnamed Springs (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation and stock water. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion/is located No. 1 100 ft. N and 700 ft. E from the SW corner of SE 1/4 NW 1/4, Sec. 32, No. 2. 750 ft. N. and 50 ft. E. from same corner. (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 32, Tp. 28 S (Give smallest legal subdivision) (No. N. or S.)

R. 12 W, W. M., in the county of Coos (No. E. or W.)

5. The pipe line for irrigation to be 240 feet. (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the SE 1/4 NW 1/4 of Sec. 32, Tp. 28 S (Smallest legal subdivision) (No. N. or S.)

R. 12 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 4 feet, length on top 10 feet, length at bottom 6 feet; material to be used and character of construction Concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 120.00
- 13. Construction work will begin on or before Oct. 1, 1930
- 14. Construction work will be completed on or before July 1, 1931
- 15. The water will be completely applied to the proposed use on or before

Amelia A. Nelson
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) John James Coquille, Ore.
(Name) (Address of witness)
- (2) Glen Hall Coquille, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
Completion, signature and balance of fees.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 1, 1930, 192.....

WITNESS my hand this 1st day of May, 19230.

RHEA LUPER
LB STATE ENGINEER

Application No. 13406.....

Permit No. 9.6.3.4.....

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 29th day of April.....

19230, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 16, 1930

Recorded in book No. 32 of

Permits on page 9 6 3 4

R H E A L U P E R

17 p. 401 f.

STATE ENGINEER

\$14.50

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second, or its equivalent in case of rotation with other water users, from Two Unnamed Springs

The use to which this water is to be applied is Irrigation and Stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 29, 1930

Actual construction work shall begin on or before June 16, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 16th day of June, 19230

R H E A L U P E R

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.