Certificate no. 8771

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

of	I,	Ada Boyd		(Name of appl	licant)		
State of	of	Wallowa		•••••	, County of	wa.	llowa
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Walloma Kiver a tributary of Grande Ronde River 2. The amount of water which the applicant intends to apply to beneficial use is	State of .	Oregon (Postoffice)	do hereby ma	ke application	for a pern	nit to appropriate the
1. The source of the proposed appropriation is wallowa liver	following	described public water	rs of the State	of Oregon, s	ubject to exist	ing rights	:
1. The source of the proposed appropriation is Wallowa 'itver (Name of stream) , a tributary of Grande Ronde River 2. The amount of water which the applicant intends to apply to beneficial use is 9.225 cubic feet per second. (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is Irrigation (irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1089 ft. S. and 528 ft. E. from the NN (Section of SN2). Section S (Section of subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the (NN miles of the NN or S.) R. 42 E. (Main alteb. canal or pipe line) (No miles of feet) in length, terminating in the (Smallest legal subdivision) of Sec. 4 Tp. 1 K (No. N. or S.) R. 42 F. (W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom (Loose vock, concrete, macoury, No. of the proposed location being shown throughout on the accompanying map. (b) Description of headgate No Hendgate. (Timber, concrete, etc., number and size of openings)	If	the applicant is a corn	oration, give	date and place	e of incorporate	ion	
, a tributary of Granda Ronde River 2. The amount of water which the applicant intends to apply to beneficial use isQ.25. cubic feet per second. (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is Irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located1083 ft. S. and528 ft. E. from theNW corner ofSWA. Section 3 (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within theNWA. (Give smallest logal subdivision) R. 42 E. W. M., in the country ofWallowa (No. E. or W.) (No. E. or W.) in length, terminating in theNEASEA (Man ditch, canal or pipe line) (No. miles or test) in length, terminating in the(Samilest logal subdivision) 6. The name of the ditch, canal or other works is	-,	the applicant to a corp					
2. The amount of water which the applicant intends to apply to beneficial use is . 0.255	1.	The source of the pro	$posed\ approp$	riation is	Wallowa ^R ive	r (Name of str	ream)
cubic feet per second. (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is ITTLSALION (ITTERATION, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1089 ft. S. and 528 ft. E. from the NW corner of NWA. Section 5 (Rection or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the NWASUL Office and itself east subdivision of Sec. 3. Tp. 1.N. (No. N. or S.) R. 42 E. W. M., in the county of Wallowa (No. E. or W.) 5. The Canal to be 1/8 mile (No. miles or feet) in length, terminating in the NEASEL Office and or pipe line) in length, terminating in the (Smallest legal subdivision) R. 42 E. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and charact er of construction (Loose rock, concrete, masonry, ock and brush, timber orth, etc., wasteway over or around dam) (b) Description of headgate No. Headgate. (Timber, concrete, etc., number and size of openings)			, a	tributary of.	Grande Ron	de River	
(If water is to be used from more than one source, give quantity from each) 1. The use to which the water is to be applied isITP_IEAL_ION_	2.	The amount of water	which the ap	plicant intend	ls to apply to b	$eneficial$ \imath	ıse is 0•25
3. The use to which the water is to be applied is ITTIGATION (Itrigation, power, mining, manufacturing, domestic supplies, sec.) 4. The point of diversion is located 1089 ft. S and 528 ft. E from the NW corner of SWA. Section 3 (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the NWASWA of SWA (No. No. of S.) R. 42 E NW. M., in the county of Wallows (No. E. of W.) 5. The Canal to be 1/8 mile (No. No. of S.) (Main ditch, canal or pipe line) (No. miles or feet) (No. No. of S.) (Ro. E. of W.) (Ro. E. of W.) 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, le ngth on top feet, length at bottom of the dam of the ditch, canal or correct, etc., number and size of openings)	cubic fee	et per second.	(If water is t	o he used from mo	re than one source	zive quantity f	rom each)
4. The point of diversion is located 1089 ft. S and 528 ft. E (E or W.) corner of SHA, Section 5 (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the NNL_SHA of Sec	3.	The use to which the					
Corner of SW12 Section 3 (Section or subdivision) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the NW2SW4 of Sec. 5 , Tp. 1.N., (No. N. or S.) R. 42 E , W. M., in the county of Wallows (No. E. or W.) Canal to be 1/8 mile (No. miles or feet) in length, terminating in the NE2SEA of Sec. 4 , Tp. 1.N., (No. N. or S.) R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and charact er of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate Companying and size of openings)	•	2,00 000 00 0000		(Ir	rigation, power, min	ing, manufact	uring, domestic supplies, etc.
(Section or subdivision) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the		_					
(If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the NWLSWL (Give smallest legal subdivision) of Sec. 3. , Tp. 1. N. (No. N. or S.), R. 42 E , W. M., in the county of Wallowa (No. E. or W.) 5. The Canal to be 1/8 mile (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the NEASEL (Smallest legal subdivision) of Sec. 4 , Tp. 1 N (No. N. or S.), R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and charact er of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)	corner o					••	····
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the							
being within the							
R. 42 E , W. M., in the county of Wallowa (No. E. or W.) 5. The		(If there are more than	one points of diver	sion, each must be	described. Use sepa	arate sheet if r	necessary)
R. 42 E , W. M., in the county of Wallowa (No. E. or W.) 5. The	being w	ithin theNW	<u></u> \$₩ <u></u>		of Sec	3	, Tp1.N
(No. E. or W.) 5. The							(No. N. or S.)
in length, terminating in the NESES of Sec. 4, Tp. 1 N. (No. N. or S.) R. 42 E N. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)	(N	o. E. or W.)					mila
in length, terminating in the NESES of Sec. 4, Tp. 1 N. (No. N. or S.) R. 42 E N. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)	5.	The	(Main ditch, ca	nal or pipe line)	to	be	(No, miles or feet)
R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	in length	n, terminating in the	NE ₄ SE ₄		of Sec	4	, Tp \perp N
6. The name of the ditch, canal or other works is No name DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, le ngth on top feet, length at bottom feet; material to be used and charact er of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgateNo Headgate. (Timber, concrete, etc., number and size of openings)					n throughout o	n the acco	, ,
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate _ No Headgate . (Timber, concrete, etc., number and size of openings)			a, canal or oth	er works is			
DIVERSION WORKS— 7. (a) Height of dam feet, le ngth on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgateNo Headgate. (Timber, concrete, etc., number and size of openings)		•					
7. (a) Height of dam feet, le ngth on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate (Timber, concrete, etc., number and size of openings)			DESC	RIPTION OF	WORKS		
feet; material to be used and charact er of construction No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)	DIVERSIO	ON WORKS—					
No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)		*					
No dam cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)		feet; material to	be used and	charact er of	construction		Tooga rock congrete mason
(b) Description of headgate No Headgate (Timber, concrete, etc., number and size of openings)		No	-3				
(b) Description of headgate No Headgate. (Timber, concrete, etc., number and size of openings)	cock and br		over or around da	am)			
* A different form of application is provided where storage works are contemplated. These forms can be secured without charge,	(idgate.			
Tamanan muru matawattana har adducathan the Utaka Thelianan Calana Conserva	• A	different form of application i	s provided where	storage works a	re contemplated. T	hese forms ca	an be secured without charg

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimen	sions at ea	ch point of	canal where mater	ially changed in size,	, stating miles
from headgate. At headga	te: width	on top (at	water line)si	x feet; w	idth on bottom
fivefeet; depth of thousand feet.	of water	six inc	hes feet; grade	eight fe	et fall per one
(b) At	miles	from head	gate: width on top (at water line)	·
feet; wi	dth on bott	om	feet; dep	oth of water	feet;
grade fe	eet fall per	one thousa	nd feet.	•	
(c) Length of pipe,	***************************************	ft.;	size at intake,	in.; size at	
ft. from intake	in.; siz	e at place o	of use	. in.; difference in ele	vation between
intake and place of use,		ft. Is	grade uniform?	Estin	nated capacity,
sec. ft.					
FILL IN THE FO	OLLOWING	G INFORM	MATION WHERE T	HE WATER IS USE) FOR
IRRIGATION—	iaatad ba	o = 4o4=1 au	of 18	acres,	laantad in anah
					ocatea in each
smallest legal subdivision, o	Range	Section	Forty-acre Tract	Number Acres to be Irrigated	
1 N	42 E	4	SINEISEI	18	
		,			
	(If:	more space req	uired, attach separate sheet)	
(a) Character of so	oilGrav	velly loar	m.		•••••••••••••••••••••••••••••••••••••••
(b) Kind of crops	raisedHa	y, garde	n and pasture		
Power or Mining Purpose					
10. (a) Total amou	nt of powe	r to be dei	veloped	theoretic	al horsepower.
(b) Quantity of	water to b	e used for	power	sec.	ft.
(c) Total fall to	be utilized	d(Hea	d) feet.		
(d) The nature	of the wor	rks by mea	ens of which the pow	er is to be developed	
(e) Such works	to be locat	ted in	(Legal subdivision	of Sec	
Tp, R	(No. E. or W	, W. I	М.		
(f) Is water to	be return	ed to any s	stream?(Yes or No)	
•	, S	lec	, Tp(No.	, R	or W.)
(i) The nature	of the min	es to be ser	rved		

STATE ENGINEER

MUNICIPAL SUPPLY—	
11. To supply the city of	
and an estimated population of in 192	
(Answer questions 12, 13, 14, and 15 in all cases)	
12. Estimated cost of proposed works, \$ 100	
13. Construction work will begin on or before All completed	
14. Construction work will be completed on or before completed	
15. The water will be completely applied to the proposed use on or before Wat	
applied at present time.	
Ada Boyd (Name of applica)	
(Name of applica	
Ginn of in the muceuse of our sequentinesses.	
Signed in the presence of us as witnesses: (1) John Thompson Wallowa, Oregon.	
(Name) (Address of witne	
(2) J. H. Bratton " " (Address of witne	ess)
Remarks:	······································
	••••••••••
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the foregoing application, together we	ith the accompanying
maps and data, and return the same for	
, , , , , , , , , , , , , , , , , , , ,	
	Cu. L. Florida
In order to retain its priority, this application must be returned to the	state Engineer, with
corrections on or before, 192,	
WITNESS my hand this day of	, 192

Application	No. 13501
Permit No.	9691

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Ore-
	gon, on the 12th day of June,
	19230, at 1:00 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	June 16, 1930
	Recorded in book No. 32 of
	Permits on page 9691
	RHEALUPER STATE ENGINEER 8 p. 208 b.
	\$9.50
STATE OF OREGON,	PERMIT
County of Marion, S ss.	
	I have examined the foregoing application and do hereby grant the same,
subject to the following limit	tations and conditions:
The right herein gran	ted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.23	cubic feet per second, or its equivalent in case of rotation with other
water users, from Wall	owa ^K iver
•	water is to be applied isIrrigation
The use to which this	
If for irrigation, this	appropriation shall be limited to 1/80th of one cubic foot per
	each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the pr	
	his permit is June 12, 1930
•	work shall begin on or beforeJune 16, 1931 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or before
October 1, 1932	
Complete application october 1, 1933	of the water to the proposed use shall be made on or before
	his l6th day of June , 19230.
mining my name	RHEALUPER
	STATE ENGINEER.
Permits for power development of annual fees as provided in section	are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment 5803 , Oregon Laws.