

## \*APPLICATION FOR A PERMIT

## To appropriate the Public Waters of the State of Oregon

I, P. F. Teters  
 (Name of applicant)  
 of Star Route (Fairview) Coquille  
 (Postoffice), County of Coos  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Swaynie Creek  
 (Name of stream)  
 a tributary of North Fork Coquille River
2. The amount of water which the applicant intends to apply to beneficial use is 0.1 (one-tenth)  
 cubic feet per second.  
 (If water is to be used from more than one source, give quantity from each)
3. The use to which the water is to be applied is Domestic and Slaughter House.  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 511 ft. N and 75 ft. E from the 1/4  
 (N. or S.) (E. or W.)  
 corner of on the south line of Section 13, T. 27 S., R. 12 W., W.M.  
 (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

- being within the SW $\frac{1}{4}$  of SE $\frac{1}{4}$  of Sec. 13, Tp. 27 S,  
 (Give smallest legal subdivision) (No. N. or S.)  
 R. 12 W, W. M., in the county of Coos  
 (No. E. or W.)  
 5. The into Water Tank located 60 ft. S. Ram located 25 feet below dam, lifts water  
 (Main ditch, canal or pipe line) (No. miles or feet)  
 to be 60 feet 3/4" pipe  
 in length, terminating in the SW $\frac{1}{4}$  of SE $\frac{1}{4}$  of Sec. 13, Tp. 27 S,  
 (Smallest legal subdivision) (No. N. or S.)  
 R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.  
 (No. E. or W.)
6. The name of the ditch, canal or other works is (Private)

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

7. (a) Height of dam 7 feet, length on top 32 feet, length at bottom 21 feet; material to be used and character of construction 2" red cedar lumber, to  
 (Loose rock, concrete, masonry,  
 be placed at an angle of 45 degrees, with 8 x 8 sills and braces and same kind of  
 rock and brush, timber crib, etc., wasteway over or around dam)  
lumber to be used for spillway. Toe of dam to be earth.
- (b) Description of headgate One timber opening, to be 2' x 2'. Top of opening  
 (Timber, concrete, etc., number and size of openings)  
to be 6'6" above present creek.

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before .....
- 14. Construction work will be completed on or before .....
- 15. The water will be completely applied to the proposed use on or before .....

P. F. Teters  
.....  
(Name of applicant)  
Coquille, Oregon.  
.....

Signed in the presence of us as witnesses:

(1)	James Watson	.....	Coquille, Oregon.
	(Name)		(Address of witness)
(2)	R. A. Wernich	.....	" "
	(Name)		(Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 192.....

WITNESS my hand this ..... day of ....., 192.....

STATE ENGINEER

Application No. 13502

Permit No. 9711

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of June

19230, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1930

Recorded in book No. 32 of Permits on page 9711

R H E A L U P E R

17 p. 405 STATE ENGINEER \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1 cubic feet per second, or its equivalent in case of rotation with other water users, from Swaynie Creek, tributary of North Fork Coquille River

The use to which this water is to be applied is Domestic and Slaughter House

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1930

Actual construction work shall begin on or before July 30, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 30th day of July, 19230

R H E A L U P E R STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.